



中国金融认证中心

China Financial Certification Authority

Certification Practice Statement Of CFCA Identity CA System V1.6

Copyright reserved by CFCA

(Reproduction without permission prohibited.)

September 2023

History of Revisions

中金金融认证中心有限公司（CFCA）版权所有

© CFCA

<http://www.cfca.com.cn>



中国金融认证中心

China Financial Certification Authority

Version	Action	Description	Modified By	Reviewed/ Approved By	Effective Date
1.0	Draft, review and approve the first version.		Sun Shengnan	Security Committee	July 2015
1.1	Amend	Add template and minor corrections	Zhang Yi	Security Committee	June 2016
1.2	Amend	Delete trail certificate service content, CPS management department turns to Risk& Compliance Department	Sun Shengnan	Security Committee	September 2017
1.3	Amend	Add description of OU2, text correction	Sun Shengnan	Security Committee	July 2019
1.4	Amend	CPS management department turns to Strategic Development Department; Delete SM2 algorithm certificate content; Application materials verify work turns to Operation Department; Text correction	Bi Xinlong	Security Committee	July 2020
1.5	Amend	Add template and minor corrections	Bi Xinlong	Security Committee	July 2020
1.6	Amend	Revise the content description of some chapters and add supplementary explanations	Li Kairui	Security Committee	September 2023

Contents

1	Introduction	10
1.1	Overview	10
1.2	Document Name and Identification.....	11
1.3	PKI Participants.....	12
1.3.1	Certification Authorities	12
1.3.2	Registration Authorities.....	13
1.3.3	Subscribers	13
1.3.4	Relying Parties.....	13
1.3.5	Other Participants	14
1.4	Certificate Usage	14
1.4.1	CFCA Certificate Types and Appropriate Uses	14
1.4.2	Restricted Certificate Uses	15
1.4.3	Prohibited Certificate Uses	15
1.5	Policy Administration	16
1.5.1	Policy Document Administration Organization.....	16
1.5.2	Contact.....	16
1.5.3	Department Determining CPS Suitability for the Policy	16
1.5.4	CPS Approval Procedures	17
1.6	Definitions and Acronyms	18
2	Publication and Repository Responsibilities	18
2.1	Repositories	18
2.2	Publication of Certification Information	18
2.3	Time or Frequency of Publication	19
2.4	Access Controls on Repositories	19
3	Identification and Authentication	19
3.1	Naming	19
3.1.1	Type of Names.....	19
3.1.2	Need for Names to be Meaningful.....	20
3.1.3	Anonymity or Pseudonymity of Subscribers	20
3.1.4	Rules for Interpreting Various Name Forms.....	20
3.1.5	Uniqueness of Names	20
3.1.6	Recognition, Authentication, and Role of Trademarks.....	21
3.2	Initial Identity Validation	21
3.2.1	Method to Prove Possession of Private Key	21
3.2.2	Authentication of Subscriber Identity.....	22
3.2.3	Non-Verified Subscriber Information	24
3.2.4	Validation of Authorization	24
3.2.5	Criteria for Interoperation.....	24
3.3	Identification and Authentication for Renew Requests	24
3.3.1	Identification and Authentication for Routine Renew	26

3.3.2	Identification and Authentication for Renew After Revocation	26
3.4	Certificate Renewal	26
3.5	Identification and Authentication for Revocation Request.....	27
4	Certificate Life Cycle Operation Requirements	27
4.1	Certificate Application.....	27
4.1.1	Certificate Application Entity	27
4.1.2	Enrolment Process and Responsibilities	27
4.2	Certificate Application Processing	29
4.2.1	Performing Identification and Authentication Functions.....	29
4.2.2	Approval or Rejection of Certificate Applications	30
4.2.3	Time to Process Certificate Applications.....	30
4.3	Certificate Issuance.....	31
4.3.1	CA and RA Actions during Certificate Issuance.....	31
4.3.2	Notifications to Subscriber by the CA and RA of Issuance of Certificate.....	31
4.4	Certificate Acceptance.....	31
4.4.1	Conduct Constituting Certificate Acceptance.....	31
4.4.2	Publication of the Certificate by the CA.....	32
4.4.3	Notification of Certificate Issuance by the CA to Other Entities.....	32
4.5	Key Pair and Certificate Usage	32
4.5.1	Subscriber Private Key and Certificate Usage.....	32
4.5.2	Relying Party Public Key and Certificate Usage.....	34
4.6	Certificate Rekey	34
4.6.1	Circumstances for Certificate Rekey	34
4.6.2	Who May Request Rekey	35
4.6.3	Processing Certificate Rekey Requests	35
4.6.4	Notification of New Certificate Issuance to Subscriber	35
4.6.5	Conduct Constituting Acceptance of a Rekeyed Certificate.....	35
4.6.6	Publication of the Rekeyed Certificate by the CA.....	35
4.6.7	Notification of Certificate Issuance by the CA to Other Entities.....	35
4.7	Certificate Modification	36
4.8	Certificate Revocation and Suspension	36
4.8.1	Circumstances for Revocation.....	36
4.8.2	Who Can Request Revocation	37
4.8.3	Procedure for Revocation Request	38
4.8.4	Revocation Request Grace Period	39
4.8.5	Time within Which CA Must Process the Revocation Request.....	39
4.8.6	Revocation Checking Requirements for Relying Parties.....	40
4.8.7	CRL Issuance Frequency	40
4.8.8	Maximum Latency for CRLs.....	40
4.8.9	Online Revocation/Status Checking Availability.....	40
4.8.10	Other Forms of Revocation Advertisements Available.....	42
4.8.11	Special Requirements regarding Key Compromise.....	42

4.8.12	Certificate Suspension	42
4.9	Certificate Status Services	42
4.9.1	Operational Characteristics	42
4.9.2	Service Availability	42
4.10	End of Subscription	43
4.11	Key Generation, Backup and Recovery	43
5	CA Facility, Management, and Operational Controls	43
5.1	Physical Controls	43
5.1.1	Site Location and Construction	44
5.1.2	Physical Access	44
5.1.3	Power and Air Conditioning	45
5.1.4	Water Exposures	46
5.1.5	Fire Prevention and Protection	46
5.1.6	Media Storage	46
5.1.7	Waste Disposal	46
5.1.8	Off-Site Backup	47
5.2	Procedural Controls	47
5.2.1	Trusted Roles	47
5.2.2	Number of Persons Required per Task	47
5.2.3	Identification and Authentication for Each Role	48
5.2.4	Roles Requiring Separation of Duties	48
5.3	Personnel Controls	49
5.3.1	Qualifications, Experience, and Clearance Requirements	49
5.3.2	Background Check Procedures	49
5.3.3	Training Requirements	50
5.3.4	Retraining Frequency and Requirements	51
5.3.5	Job Rotation Frequency and Sequence	51
5.3.6	Sanctions for Unauthorized Actions	52
5.3.7	Independent Contractor Requirements	52
5.3.8	Documentation Supplied to Personnel	52
5.4	Audit Logging Procedures	52
5.4.1	Types of Events Recorded	52
5.4.2	Frequency of Processing Log	53
5.4.3	Retention Period for Audit Log	53
5.4.4	Protection of Audit Log	54
5.4.5	Audit Log Backup Procedures	54
5.4.6	Audit Collection System	54
5.4.7	Notification to Event-Causing Subject	54
5.4.8	Vulnerability Assessments	54
5.5	Records Archival	55
5.5.1	Types of Records Archived	55
5.5.2	Retention Period for Archive	55

5.5.3	Protection of Archive.....	55
5.5.4	Archive Backup Procedures	56
5.5.5	Requirements for Time-Stamping of Records	56
5.5.6	Archive Collection System.....	56
5.5.7	Procedures to Obtain and Verify Archive Information	56
5.6	Key Changeover	57
5.7	Compromise and Disaster Recovery	57
5.7.1	Incident and Compromise Handling Procedures	57
5.7.2	Computing Resources, Software, and/or Data are Corrupted.....	60
5.7.3	Entity Private Key Compromise Procedures	60
5.7.4	Business Continuity Capabilities after a Disaster.....	60
5.8	CA or RA Termination.....	61
6	Technical Security Controls.....	62
6.1	Key Pair Generation and Installation.....	62
6.1.1	Key Pair Generation	62
6.1.2	Private Key Delivery to Subscriber	64
6.1.3	CA Public Key Delivery to Relying Parties.....	64
6.1.4	Key Sizes	64
6.1.5	Public Key Parameters Generation and Quality Checking	64
6.1.6	Key Usage Purposes	65
6.2	Private Key Protection and Cryptographic Module Engineering Controls.....	66
6.2.1	Cryptographic Module Standards and Controls.....	66
6.2.2	Private Key (n out of m) Multi-Person Control.....	66
6.2.3	Private Key Escrow	66
6.2.4	Private Key Backup	67
6.2.5	Private Key Archival	67
6.2.6	Private Key Transfer Into or From a Cryptographic Module	67
6.2.7	Private Key Storage on Cryptographic Module.....	68
6.2.8	Method of Activating Private Key	68
6.2.9	Method of Deactivating Private Key	69
6.2.10	Method of Destroying Private Key	69
6.2.11	Cryptographic Module Rating	69
6.3	Other Aspects of Key Pair Management	70
6.3.1	Public Key Archival.....	70
6.3.2	Certificate Operational Periods and Key Pair Usage Periods	70
6.4	Activation Data.....	71
6.4.1	Activation Data Generation and Installation	71
6.4.2	Activation Data Protection	71
6.4.3	Other Aspects of Activation Data	72
6.5	Data Security Controls.....	72
6.5.1	A Security Plan made for Data Protection	72
6.5.2	Periodic Risk Assessment of Data Security	73

6.5.3	Security Plan.....	74
6.6	Computer Security Controls	74
6.6.1	Specific Computer Security Technical Requirements	74
6.6.2	Computer Security Rating	75
6.7	Life Cycle Technical Controls	75
6.7.1	Root Key Controls	75
6.7.2	System Development Controls	76
6.7.3	Security Management Controls	76
6.7.4	Life Cycle Security Controls	76
6.8	Network Security Controls	77
6.9	Time-Stamping	78
7	Certificate, CRL, and OCSP Profiles	78
7.1	Certificate Profile	78
7.1.1	Version Number(s).....	78
7.1.2	Certificate Extensions.....	78
7.1.3	Algorithm Object Identifiers.....	81
7.1.4	Subject Name.....	81
7.1.5	Name Constraints	82
7.1.6	Certificate Policy Object Identifier.....	83
7.1.7	Usage of Policy Constraints Extension.....	83
7.1.8	Policy Qualifiers Syntax and Semantics.....	83
7.1.9	Processing Semantics for the Critical Certificate Policies Extension.....	83
7.2	CRL	83
7.2.1	Version Number(s).....	83
7.2.2	CRL and CRL Entry Extensions.....	84
7.3	OCSP Profile	84
8	Compliance Audit and Other Assessments.....	85
8.1	Frequency and Circumstances of Assessment	85
8.2	Identity/Qualifications of Assessor.....	86
8.3	Assessor's Relationship to Assessed Entity	86
8.4	Topics Covered by Assessment	86
8.5	Actions Taken as a Result of Deficiency	87
8.6	Communications of Results.....	87
8.7	Other Assessment	87
9	Other Business and Legal Matters.....	88
9.1	Fees.....	88
9.1.1	Certificate Issuance or Renewal Fees	88
9.1.2	Certificate Access Fees	88
9.1.3	Revocation or Status Information Access Fees.....	88
9.1.4	Fees for Other Services.....	88
9.1.5	Refund Policy	89
9.2	Financial Responsibility	89



中国金融认证中心

China Financial Certification Authority

9.2.1	Insurance Coverage	89
9.2.2	Other Assets	89
9.2.3	Insurance or Warranty Coverage for End Entities	90
9.3	Confidentiality of Business Information	90
9.3.1	Scope of Confidential Information	90
9.3.2	Information Not Within the Scope of Confidential Information	91
9.3.3	Responsibility to Protect Confidential Information	91
9.4	Privacy of Personal Information	92
9.4.1	Privacy Plan	92
9.4.2	Information Treated as Private	92
9.4.3	Information Not Deemed Private	92
9.4.4	Responsibility to Protect Private Information	93
9.4.5	Notice and Consent to Use Private Information	93
9.4.6	Disclosure Pursuant to Judicial or Administrative Process	93
9.4.7	Other Information Disclosure Circumstances	94
9.5	Intellectual Property rights	94
9.6	Representations and Warranties	94
9.6.1	CA Representations and Warranties	94
9.6.2	RA Representations and Warranties	95
9.6.3	Subscriber Representations and Warranties	97
9.6.4	Relying Party Representations and Warranties	98
9.6.5	Representations and Warranties of Other Participants	99
9.7	Disclaimers of Warranties	99
9.8	Limitations of Liability	100
9.9	Indemnities	100
9.10	Term and Termination	101
9.10.1	Term	101
9.10.2	Termination	102
9.10.3	Effect of Termination and Survival	102
9.11	Individual Notices and Communications with Participants	102
9.12	Amendments	102
9.12.1	Procedure for Amendment	103
9.12.2	Notification Mechanism and Period	103
9.12.3	Circumstances under Which CPS Must be Amended	103
9.13	Dispute Resolution Provisions	103
9.14	Governing Law	104
9.15	Compliance with Applicable Law	105
9.16	Miscellaneous Provisions	105
9.16.1	Entire Agreement	105
9.16.2	Assignment	106
9.16.3	Severability	106
9.16.4	Enforcement	106



中国金融认证中心

China Financial Certification Authority

9.16.5	Force Majeure.....	106
9.17	Other Provisions	107
9.18	Final Interpretation Rights.....	107
Appendix A Definitions and Acronyms		108
Appendix B Certificate Format.....		110
Appendix C Liable Data Source		114
Appendix D CAs contained in CFCA Identity CA CPS V1.4.....		115

1 Introduction

1.1 Overview

Established on June 29, 2000, China Financial Certification Authority (CFCA) is a national authority of security authentication approved by the People's Bank of China and State Information Security Administration. It's a critical national infrastructure of financial information security and is one of the first certification service suppliers granted a certification service license after the release of the Electronic Signature Law of the People's Republic of China. Certification Practice Statement (CPS) is a detailed description and statement of the practices which a certificate authority (CA) applies in the whole life cycle of digital certificates (certificates for short) (e.g. issuance, revocation, and renew). It also describes the details of the business, technologies and legal responsibilities.

This CPS presents practices under the CFCA Identity CA System. The System constitutes of CFCA Identity Root CA and CFCA Identity OCA. The Appendix D shows the system structure.

All the subordinate CAs of CFCA are owned and controlled by the CFCA directly.

This CPS conforms to IETF RFC 3647 (Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework); the

《Electronic Signature Law of the People's Republic of China》 approved by the Tenth NPC ; the 《Specification of Cryptography and Related Security Technology for Certificate Authentication System》 and 《The Rule of Electronic Certification Services' Cryptography Administration》 released by the State Cryptography Administration; the 《Methods for the Administration of Electronic Certification Services》 , 《Specification of Electronic Certification Practices (Trial Version)》 enacted by the Ministry of Industry and Information Technology of the People's Republic of China (MIIT); WebTrust 2.0 and other common practice norms of CA.

CFCA meets the requirements of WebTrust and has been audited by external auditors. CFCA holds a valid license of electronic certification services issued by MIIT, the competent department to CFCA.

1.2 Document Name and Identification

This document is the Certification Practice Statement of CFCA Identity CA System (CFCA Identity CA System CPS).

CFCA has registered the corresponding Object Identity (OID) of this document in the National Registration Center for OID. The OID contained in this CPS includes:

NO.	OID Type	OID	Description
1	Document	2.16.156.112554.5	CFCA Identity CA System CPS

1.3 PKI Participants

Electronic certification participants appear in this document include: Certificate Authorities, Registration Authorities, Relying Parties, Subscribers and other participants. The followings are descriptions.

1.3.1 Certification Authorities

A Certificate Authority (CA) is responsible for certificate issuance, renew and revocation, key management, certificate status information service, release of Certificate Revocation List (CRL) and policy formulation, etc. In this CP&CPS, the electronic certification service provider only refers to CFCA. For detailed information on document signing certificates and services, please visit the official website of the China Financial Certification Center <https://www.cfca.com.cn>.

Before accepting the application for a document signature certificate, the electronic certification service institution shall inform the certificate subscriber of the following matters:

- (1) The usage conditions for digital certificates and electronic signatures.
- (2) The items and standards for service fees.
- (3) Authority and responsibility to save and use certificate holder information.
- (4) The scope of responsibility of electronic certification service institutions.
- (5) The scope of responsibility of the certificate holder.

(6) Other matters that need to be informed in advance.

1. 3. 2 Registration Authorities

A Registration Authority (RA) is responsible for the acceptance, approval and management of subscriber certificates. It deals with the subscribers directly and delivers certificate management information between the subscribers and the CA.

The RA function of CFCA Identity OCA system under the CFCA Identity CA System is performed by CFCA internally and no other authorities are entrusted to perform this responsibility.

1. 3. 3 Subscribers

Subscribers are the entities of digital certificates issued by CFCA.

It should be noted that, "Subscriber" and "Subject" are two different terms used in this CPS to distinguish between two different roles: "Subscriber", is the entity, individual and organization generally, which contracts with CFCA for the issuance of certificates and; "Subject", is the entity which the certificate is bound to. The Subscriber bears ultimate responsibility for the use of the certificate but the Subject is the individual that is authenticated when the certificate is presented.

1. 3. 4 Relying Parties

A relying party is an individual or organization that acts on reliance of the trust

relations proved by the certificates.

1.3.5 Other Participants

Others beside CFCA, subscribers and relying parties are referred to as Other Participants.

1.4 Certificate Usage

1.4.1 CFCA Certificate Types and Appropriate Uses

The document signature certificate issued by CFCA is suitable for applications in multiple online information transmission fields such as financial transactions, enterprise informatization, e-commerce, e-government, and public services.

A document signing certificate is suitable for signing document content, used to verify the identity information of the document signer or publisher, and prevent invalid modifications to the document content. CFCA is one of the member organizations of the Adobe AATL program, and the root certificate has been automatically trusted by Adobe series products (such as Adobe Reader, Adobe Acrobat) and Office series products (such as Word, Excel, PowerPoint, Microsoft 365). The combination of document signature certificates and electronic seals can be widely used in electronic document signing scenarios.

1. 4. 2 **Restricted Certificate Uses**

The document signing certificate under CFCA Identity CA System is functionally restricted, it could only be used to identify signer or publisher and prevent any modification.

The intended key usages are described in the extensions of the subscriber certificates. However the effectiveness of the restriction depends on the applications. Therefore, if the participants fail to follow such restrictions, their interests are not protected by CFCA.

1. 4. 3 **Prohibited Certificate Uses**

Certificates under the CFCA Identity CA System cannot be used in applications that violate any national or local law and regulation. This includes but is not limited to the following provisions.

1. The circumstances stipulated in Article 3 of the Electronic Signature Law of the People's Republic of China.

2. Circumstances outside the scope of certificate application agreed upon between CFCA and the registered institution or subscriber authorized by CFCA.

3. The certificate is prohibited from being used in any situation or dangerous environment that violates national or local laws, regulations, or national security. Otherwise, the subscriber shall bear the legal consequences caused by this.

1.5 Policy Administration

1.5.1 Policy Document Administration Organization

The policy document administration organization of this document is the Strategic Development Department of CFCA. It sets up the “CPS Team” to compile or amend this CPS when needed. The General Manager can also set up a temporary CPS team and appoint a person to take charge of the drafting revision.

1.5.2 Contact

Any question on this CPS, please contact the Strategic Development Department:

Tel: 010-80864610

Fax: 010-63555032

Email: cps@cfca.com.cn

Address: 8th Floor, Parkson North Building, No. 37 Financial Street, Xicheng District, Beijing

CPS release address: <https://www.cfca.com.cn>

1.5.3 Department Determining CPS Suitability for the Policy

The CPS team is responsible for compiling the draft or revision of the CPS, and submitting it to the Security Committee to review. The Security Committee reviews

the CPS and determines whether it is in conformity with relevant requirements. If yes, the CPS will be submitted to the approval of the General Manager. Once approved, the CPS will be publicized, and will be reported to the competent department within 20 days following the publication.

1. 5. 4 CPS Approval Procedures

The "CPS writing team" is responsible for drafting the discussion draft (or revised draft) of CPS, soliciting the opinions of company leaders and heads of departments, and forming the draft for review after reaching consensus through discussion and modification. The "CPS writing team" is responsible for submitting CPS submissions to the company's legal department for review. CPS may be released to the public only after approval by the general manager. The form of publication shall comply with the requirements of the Ministry of Industry and Information Technology and other relevant competent authorities, including but not limited to publication on the company's website (<https://www.cfca.com.cn>) and submission of written or electronic documents to customers or partners. The release work is completed by the Strategic Development Department in coordination with relevant departments, and the CPS electronic version is submitted to the office for archiving.

From the date of publication of the CPS, all the CPS provided in various forms must be consistent with the CPS published on the website, and the Strategic Development Department is responsible for reporting the CPS to the competent

bureau of the Ministry of Industry and Information Technology within 20 days from the date of publication.

1.6 Definitions and Acronyms

Please refer to Appendix Definitions and Acronyms.

2 Publication and Repository Responsibilities

2.1 Repositories

CFCA provides information services to the subscribers and relying parties through its repositories, which includes but not limited to: Certificates, CRL, CPS, CP, Certificate Service Agreement, Technical Support Manual, CFCA website information and information irregularly released by CFCA.

2.2 Publication of Certification Information

CFCA releases CPS, CP and technical support information on its website(<https://www.cfca.com.cn>). Subscriber certificates can be obtained on the CFCA Certificate download platform(<https://cs.cfca.com.cn>). The certificates issued by CFCA Identity OCA can only be obtained through the repositories. Information of revoked Certificates is available on the CRL website, while the certificate status information (valid, revoked or suspended) is available through OCSP services.

2.3 Time or Frequency of Publication

CPS, CP and relevant documents will be released on the CFCA website within 15 days after they have gone through the procedures stated in Section 1.5.4. They are accessible 7*24 hours. CRL information issued by CFCA Identity OCA will be updated within 24 hours; the frequency of CRL publication can be tailored according to the demands of the subscribers. Manual real-time publication of CRL is also applicable if needed.

2.4 Access Controls on Repositories

Edit and write access is restricted to only authorized stuff. Read-only access is unrestricted.

3 Identification and Authentication

3.1 Naming

3.1.1 Type of Names

Subject name of certificates under CFCA Identity CA can be that of an individual, organization, department and also can be the combination of organization/ department and individual information. The naming follows the X.500 Distinguished Name Standard. Please refer to Section 7.1.4 for details.

3. 1. 2 Need for Names to be Meaningful

DN (Distinguished Name): A unique X.500 name put in the field of Subject Name on the Certificates to identify the subject. The content put in this field must reflect the authentic identity of the subject, be meaningful and in line with laws.

For document signing certificate, the DN must be the subscriber's personnel or organization/ department real name, this would be authenticated as key information.

CFCA would verify the ID provided.

3. 1. 3 Anonymity or Pseudonymity of Subscribers

Certificate Requests submitted in anonymity fail to meet the requirement of CFCA, and will not pass the verification. No certificate or service will be provided in this case.

Certificates using pseudonymity are invalid, and will be revoked once the situation is confirmed.

3. 1. 4 Rules for Interpreting Various Name Forms

Please refer to Section 7.1.4 for the DN naming rules of CFCA.

3. 1. 5 Uniqueness of Names

CFCA ensures that the Subject Distinguished Name of the subscriber is unique within the trust domain of CFCA.

3.1.6 **Recognition, Authentication, and Role of Trademarks**

The subscribers shall warrant to CFCA and provide a statement to relying parties that: the information submitted in certificate application has not, in any form, infringed the Intellectual Property Rights of other, including the ownership of trade name, corporate name and etc. The Certificates issued by CFCA does not contain any trademarks or other information which may infringe other parties' rights.

3.2 **Initial Identity Validation**

3.2.1 **Method to Prove Possession of Private Key**

The subscriber must prove that they hold the private key corresponding to the registered public key, including pkcs # 10, other equivalent key identification methods, or other proof methods accepted by the CA institution. Before CFCA issues a certificate, the system automatically uses the public key of the subscriber to validate the effectiveness of the signature of the private key, as well as the completeness of application information, and thus determines whether the subscriber owns the private key.

For importance of document signing certificate, the private key of Advanced Identity certificates (with Adobe Document Signing ECU) should be generated in hardware principally. CFCA could offer the subscriber this PKI-tokens.

3.2.2 Authentication of Subscriber Identity

Prior to applying for a certificate under the CFCA Identity CA System, the subscriber should appoint a representative and issue a written letter of authorization (the personnel subscriber must be him/herself and any agent is forbidden). The requester should provide valid ID proof, certificate application materials, acknowledge relevant stipulation and agree to bear corresponding responsibilities.

After received application from subscriber, CFCA will verify the ID proof and store well. This verifying process is:

Firstly, CFCA customer manager collect the application materials, the **Operation Department** investigators will verify these materials, then RA operator type apply information into system and RA auditor will verify typed information and help subscriber to download the certificate.

3.2.2.1 Authentication of Individual Identity

When individuals apply for the CFCA Identity CA System certificates, they should provide CFCA authentic and effective proofs of their identities. For individual applicants in organizations, the application materials should bear official seals or contain letters of authorization.

The following materials should be submitted:

1. Certificate application form;
2. Copies of ID;

3. Authorization of the organization (only applicable to the individuals in organizations).

The investigators verify the completeness and authenticity of the personal materials. Reliable data source would be used to validate the applicant's identity, address, country and etc.

3.2.2.2 Authentication of Corporate (Organization) Identity

Prior to applying for a certificate, organization subscribers should authorize a staff to propose the certificate request, and provide authentic and effective proof of organization identity.

Following materials should be submitted:

1. Certificate application form (should bear corporate seals);
2. At least one type of organization legal existence proof;
3. The personal ID of the requester;

The auditor checks the completeness and authenticity of the materials submitted by individual subscribers. And verify individual subscriber identity information, address information, country information, etc. through trusted data sources for authentication.

3.2.2.3 Applicable IDs

Personal ID Types	Organizational ID Types
--------------------------	--------------------------------

Resident Identity Card	Organization Registration Certificate with unified social credit number
Passport	Government Approval

3.2.3 Non-Verified Subscriber Information

CFCA verifies all the information submitted by the subscribers.

3.2.4 Validation of Authorization

When a person applies for a certificate on behalf of the organization subscriber, enough proofs should be obtained to verify that the person is authorized. CFCA is obliged to verify that authorization, and store the authorization information.

3.2.5 Criteria for Interoperation

CFCA performs identity verification of the applicants for certificates issued by CFCA Identity OCA. No other organization is delegated with this function.

3.3 Identification and Authentication for Renew Requests

Both “Reissuance” and “Renew” are commonly described as “Certificate Renewal”.

1. Certificate Reissuance

Certificate reissuance is the issuance of a new certificate to the subscriber

during the validity period of the certificate.

The subscriber may request for certificate reissuance if:

- (1) The subscriber certificate is lost or damaged. For example, the storage media of the certificate is damaged;
- (2) The subscriber believes the security of the original certificate and key to be compromised (For example, the subscriber suspects the certificate had been stolen or the private key was attacked).
- (3) Other reasons recognized by CFCA.

When subscribers need to reissue certificates, they should proactively submit a certificate reissue application and identification materials to CFCA. The identity of the subscriber needs to be re verified. When the certificate is reissued, the expiration date of the new certificate is the same as the original certificate expiration date. If the certificate needs to be reissued within three months after the initial issuance, the subscriber does not need to submit identity verification materials. Upon the issuance of the new certificate, the original certificate will be revoked immediately. The new certificate remains valid for the period between its issuance to the expiry date of the original certificate.

2. Certificate Renew

Renewal refers to the operation of a subscriber applying to update a certificate within three months of its expiration or after its expiration. The subscriber needs to apply for a certificate renewal in the following situations: the subscriber's certificate

is about to expire or has already expired.

Within three months before the expiration of the subscriber's certificate, CFCA will notify the user through appropriate means to renew the certificate. When renewing a subscriber certificate, it is necessary to revalidate the subscriber's identity.

The document signing certificate will be renewed, and the new certificate will have an additional certificate validity period from the date of renewal to the expiration of the original certificate (for certificates that have already expired, the validity period is only the certificate validity period).

3.3.1 Identification and Authentication for Routine Renew

Same as Section 3.3;

3.3.2 Identification and Authentication for Renew After Revocation

CFCA treats the rekey request after revocation as a new application for certificate, and follows the provisions of Section 3.2.2.

3.4 Certificate Renewal

Certificate renewal is the issuance of a new certificate for an existing key pair. CFCA does not provide certificate renewal service. In other words, when a new certificate is issued, the key pairs must be re-generated.

3.5 Identification and Authentication for Revocation Request

The identification and authentication for revocation request follows the procedures stated in Section 4.8.3.

4 Certificate Life Cycle Operation Requirements

4.1 Certificate Application

4.1.1 Certificate Application Entity

Any entity that needs to use the certificate under the CFCA Identity CA System can raise a certificate request. In internet application scenarios, subscribers can directly apply through data messages or other methods that conform to network transaction habits, or authorize others to apply on their behalf. No matter how the subscriber expresses their application for a digital certificate, it will be considered a valid application provided that the form and content are legal, and not limited to written application materials. This regulation applies to all subscribers submitting certificate applications in this CPS.

4.1.2 Enrolment Process and Responsibilities

1. Certificate Subscribers

Certificate subscribers refer to the entity applying for the certificates. When

applying for a digital certificate, the subscriber must fully read the notification content, and the final subscriber must clearly express their willingness and acceptance of the relevant responsibilities and obligations stipulated in this CPS and related CPs (this CPS and related CPs are published on the CFCA website). They shall also submit authentic and accurate application information following the provisions of Section 3.2.2. According to the 《Electronic Signature Law of the People's Republic of China》, if relying parties, CFCA or RA designated by CFCA suffer loss because the application information submitted by the subscriber is unauthentic, incomplete or inaccurate, or because of other wrongful acts of the subscriber, the subscriber shall bear corresponding legal obligation and compensation responsibility. The subscribers are also obliged to keep the private keys safe.

2. CA and RA

CFCA is not only a certification service agency, but also undertakes the functions of a registration agency. If a subscriber directly applies for a certificate from CFCA, CFCA reviews the subscriber's application information and processes the subscriber's request.

Authenticate the identity information provided by the subscriber in accordance with the requirements of Chapter 3.2.2 of this CPS, record the relevant information when the subscriber applies, and send a request to the CA system through the RA system. The CA system of CFCA verifies the format and permissions of the RA

system request.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

1. At least three trusted roles should be set in the processing of certification application: information collection, information authentication and certificate issuance.

The former two roles can be performed by one person, while the last one must be separated from the former two.

2. For Certificates request, final review of the applicant information should be performed.

1) All the information and documents used to verify the Certificate Request should be reviewed to look for potential conflictive information or information that needs further authentication.

2) If the questions raised by the reviewer need to be further verified, CFCA must obtain more information and evidences from eligible information sources of the applicant, certificate signer and approver.

3) CFCA must ensure that the information and materials collected regarding the certificate request are adequate to ensure that the Certificate will not contain false information that CFCA is or should be aware of. Otherwise, CFCA will reject the certificate request.

4) If parts of or all of the materials used to verify the subscriber identity are not written in the official language of CFCA, it will appoint properly trained and experienced personnel with adequate judgement to complete the final cross-correlation and due diligence. This is done by:

4.1) Relying on translation of the materials;

4.2) Relying on RA with competency of the language in question. CFCA will review the authentication results of the RA and ensure that the self-assessment requirements in the Certificate standards are met.

3. If CFCA delegates another organization to perform the functions of RA, CFCA is responsible for the final review of the certificate request verified by the RA.

4. 2. 2 Approval or Rejection of Certificate Applications

CFCA will approve a certificate request if all application materials and identity information have been verified in terms of Section 3.2.2. Otherwise, CFCA will reject the request and timely notice the applicant of the result and the reasons.

Rejected subscribers can prepare the correct materials again and apply again.

4. 2. 3 Time to Process Certificate Applications

CFCA will complete the processing of certificate requests within a reasonable time. If application materials are complete and in line with the requirements, the request will be processed within 1-3 working day.

4.3 Certificate Issuance

4.3.1 CA and RA Actions during Certificate Issuance

A certificate is created and issued following the approval of a certificate application by CFCA or following receipt of an RA's request to issue the certificate. CFCA creates and issues to a certificate applicant a certificate based on the information in a certificate application following approval of such certificate application.

4.3.2 Notifications to Subscriber by the CA and RA of Issuance of Certificate

CFCA is obliged to notice the subscriber of the results of the certificate request, whether it's approved or rejected. CFCA can do so via phone, email or other channels.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

The following conducts constitute the subscriber's acceptance of the certificate: filling in the certificate request form, agreeing to the stipulations in this CPS, providing authentic and accurate identity information, which is successfully verified by CFCA, and receiving the certificate issued by CFCA. After receiving the certificate, the subscriber should verify the information contained in the certificate

before use. If no comments are raised within one working day, it is considered as the subscriber has accepted the certificate.

4.4.2 Publication of the Certificate by the CA

For subscriber certificate, CFCA will publicize the certificate in due form according to the opinion of the subscriber. CFCA will not publicize the end-user subscriber certificate if the subscriber has not requested it to do so.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

CFCA does not notice the other entity about the certificates it issued. Relying parties may access the certificates in the repositories.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Private key and certificate shall be used for the specified and approved purposes (as defined in Section 1.4.1 of this CPS). When using the certificate, the subscriber must comply with the requirements of this CPS, properly store their private key, take reasonable measures to prevent the loss, leakage, or tampering of the private key, and avoid the unauthorized use of their certificate by others. Otherwise, their application is not guaranteed.

1、 Private Key and Certificate Use by the Subscriber

The subscribers shall only use the private keys when they have accepted the corresponding certificates, shall only use the private keys and certificates in intended functions, and shall cease to use the certificates and private keys when the certificates expire or are revoked.

2、 Public Key and Certificate Use by Relying Parties

When the relying parties receive signature information, they shall:

- ✧ Obtain the corresponding certificates and certificate chains;
- ✧ Assess the validity of the certificates;
- ✧ Make sure that the certificates corresponding to the signatures are trusted by the relying parties;
- ✧ Verify that one of the intended usages of the certificates is signing;
- ✧ Perform signature verification using the public keys on the certificates.

If relying parties fail to perform any of the above actions, they should reject to signatures.

When the relying party needs to send encrypted information to the receiving party, it must first obtain the receiving party's encrypted public key certificate through appropriate means, and then use the public key on the certificate to encrypt the information.

4.5.2 Relying Party Public Key and Certificate Usage

Before any act of reliance on the trust relationship proved by the certificates issued by the CFCA Identity CA System, relying parties shall:

1. Obtain and install the certificate chains corresponding to the certificates;
2. Verify that the certificates are valid. To do so, relying parties need to obtain the latest CRL released by the CFCA to ensure that the certificates have not been revoked. All the certificates appear in the certificate paths should be assessed on their reliability. Validity period of the certificates shall be checked. Relying parties should also review other information that may affect the validity of the certificates.
3. Make sure that the content on the certificates is consistent with the content to be proved.

4.6 Certificate Rekey

Certificate rekey is the application for the issuance of a new certificate that certifies the new public key.

4.6.1 Circumstances for Certificate Rekey

1. When the subscriber certificate is about to expire or has expired;
2. When the private key has been compromised;
3. When the subscriber knows or suspects that the certificate or private key has been compromised;

4. When the other situations that necessitate certificate rekey happens.

4. 6. 2 Who May Request Rekey

Subscribers holding certificates issued by CFCA may request certificate rekey.

4. 6. 3 Processing Certificate Rekey Requests

Same as Section 3.3;

4. 6. 4 Notification of New Certificate Issuance to Subscriber

Same as Section 4.3.2;

4. 6. 5 Conduct Constituting Acceptance of a Rekeyed Certificate

Same as Section 4.4.1;

4. 6. 6 Publication of the Rekeyed Certificate by the CA

Same as Section 4.4.2;

4. 6. 7 Notification of Certificate Issuance by the CA to Other Entities

Same as Section 4.4.3;

4.7 Certificate Modification

No certificate modification service is provided by CFCA.

4.8 Certificate Revocation and Suspension

4.8.1 Circumstances for Revocation

CFCA will revoke a certificate it has issued upon the occurrence of any of the following events:

1. The Subscriber requests in writing that the CFCA revoke the Certificate;
2. The Subscriber notifies the CFCA that the original certificate request was not authorized and does not retroactively grant authorization;
3. The CFCA obtains evidence that the Subscriber's Private Key corresponding to the Public Key in the Certificate suffered a Key Compromise or no longer complies with the technical requirements;
4. The CFCA obtains evidence that the Certificate was misused;
5. The CFCA is made aware that a Subscriber has violated one or more of its material obligations under the Subscriber or Terms of Use Agreement;
6. The CFCA is made aware of any circumstance indicating that use of important information had been changed;
7. The CFCA is made aware that the Certificate was not issued in accordance with these Requirements or the CA's Certificate Policy or Certification Practice

Statement;

8. The CFCA determines that any of the information appearing in the Certificate is inaccurate or misleading;

9. The CFCA ceases operations for any reason and has not made arrangements for another CA to provide revocation support for the Certificate;

10. The CFCA's right to issue Certificates under these Requirements expires or is revoked or terminated, unless the CFCA has made arrangements to continue maintaining the CRL/OCSP Repository;

11. The CFCA is made aware of a possible compromise of the Private Key of the Subordinate CA used for issuing the Certificate;

12. Revocation is required by the CFCA's Certificate Policy and/or Certification Practice Statement;

13. The technical content or format of the Certificate presents an unacceptable risk to Application Software Suppliers or Relying Parties (e.g. the CA/Browser Forum might determine that a deprecated cryptographic/signature algorithm or key size presents an unacceptable risk and that such Certificates should be revoked and replaced by CFCA within a given period of time);

14. Other situations stipulated in relevant laws and regulations.

4. 8. 2 Who Can Request Revocation

All subscribers holding CFCA certificates can request revocation.

At the same time, CFCA can take the initiative to revoke a subscriber certificate if an event described in Section 4.8.1 occurs.

4.8.3 Procedure for Revocation Request

Revocation includes initiative revocation and reactive revocation. Initiative revocation refers to one that put forward by the subscriber, reviewed and performed by CFCA. Reactive revocation refers to one that CFCA initiated to terminate trust services for the certificate, the usage of which has violated relevant regulations and agreements, or the subject of which has extinct.

4.8.3.1 Initiative Revocation

Before the subscriber applies for certificate, it should appoint a requester and provide a written letter of authorization, provide effective identity proofs, accept relevant provisions, and agree to bear corresponding responsibilities.

Upon receiving the application, CFCA should verify whether the certificate implied is issued by CFCA, is valid, and that the reason for revocation is true. If these verifications come up with satisfactory results, CFCA will perform the revocation.

4.8.3.2 Reactive Revocation

When reactive revocation is planned, CFCA shall inform the subscriber through appropriate channels of the certificate in question, reason and time limit for revocation. CFCA shall only revoke the certificate when it ensures that the

subscriber is informed and consents to the revocation.

4. 8. 4 Revocation Request Grace Period

For initiative revocation, the subscriber should make the request as soon as they identify such a need.

For reactive revocation, the subscriber can submit their arguments within three working days upon receiving the notice. CFCA will assess the arguments. If the arguments are justifiable, the revocation will be redrawing. If the subscriber doesn't response within three working days, or reply that they agree with the revocation, CFCA will go ahead with the revocation.

4. 8. 5 Time within Which CA Must Process the Revocation Request

For initiative revocation, it will be performed within 24 hours after the revocation request is reviewed.

For reactive revocation, the subscriber can submit their arguments within three working days upon receiving the notice. CFCA will assess the arguments. If the arguments are justifiable, the revocation will be redrawing. If the subscriber doesn't response within three working days, or reply that they agree with the revocation, CFCA will perform the revocation within 24 hours.

4. 8. 6 Revocation Checking Requirements for Relying Parties

Before any act of reliance, the relying parties shall verify that the certificate has not been revoked.

4. 8. 7 CRL Issuance Frequency

CFCA update the CRL of CFCA Identity CA system. The frequency of CRL publication can be tailored according to the demands of the Subscribers. Manual real-time publication of CRL is also applicable if needed.

4. 8. 8 Maximum Latency for CRLs

The maximum latency of CRL publication is 24 hours.

4. 8. 9 Online Revocation/Status Checking Availability

OCSP service is viable for 7*24.

Whether to proffer an OCSP inquiry depends completely on the security demands of the relying parties. For applications that high demand on security and completely rely on the certificates for identity authentication and authorization, the inquiry should be performed before any act of reliance.

The OCSP service of CFCA follows the RFC6960 standard.

When Clients ask for the OCSP service, CFCA will review the inquiry and focus on the following:

- ◆ Verify whether signature is compulsory;
- ◆ Verify the signature using CA Certificate;
- ◆ Verify whether the certificate is valid or expired;
- ◆ Verify whether the sponsor of the certificate is within the list of trusted certificates.

OCSP response should contain the following fields and content:

Field	Value/ Value Restriction
Status	Response status, including success, mal formed request, internal error, try later, sig required, and unauthorized. When the response status is success, following information should be shown.
Version	V1
Signature Algorithm	Algorithm used to sign the OCSP, including sha1RSA, sha256RSA.
Issuer	The entity that issue the OCSP. Information includes the data value of the issuer's public key and certificate DN.
Response Time	The time that the OCSP response generates.
Certificate Status List	A list that contains the status of the certificates. The status includes certificate identifier, certificate status, and certificate revocation.
Certificate Identifier	Including the data digest algorithm, data value of the certificate DN, the data value of the public key, and certificate serial value.
Certificate Status	Latest status of the certificate, including "good", "revoked" and "unknown".
Certificate Revocation	Revocation time and reason if the returned status is "revoked".

The extensions of OCSP are consistent with that stated in RFC6960 standard.

The OSCP is updated within 24 hours, and the maximum service response is

less than 10 seconds. The maximum validity period for OCSP response does not exceed 7 days.

4.8.10 Other Forms of Revocation Advertisements Available

Information on certificate revocation is made available through CRL or OCSP services. CRL information can be obtained from the CRL Address extension.

4.8.11 Special Requirements regarding Key Compromise

If the subscriber discovers or has adequate reasons to believe that the security of the private key is threatened, it should make a revocation request as soon as possible.

4.8.12 Certificate Suspension

Not applicable for the certificates under CFCA Identity CA System.

4.9 Certificate Status Services

4.9.1 Operational Characteristics

Certificate status is available through the OCSP service of CFCA.

4.9.2 Service Availability

Certificate status inquiry service is provided 7*24 by the CFCA.

4.10 End of Subscription

The subscription is need when:

1. The certificate has expired;
2. The certificate is revoked.

4.11 Key Generation, Backup and Recovery

To ensure the security of subscriber private keys, subscribers should independently perform key pair generation in a secure environment and store the encrypted keys in secure media. The subscribers should backup the keys in a timely manner, and prevent the keys from loss The subscribers should apply for certificate rekey once key leakage is known or suspected.

When the subscribers delegate other trustworthy service suppliers to perform key generation for them, they shall require the suppliers to bear confidentiality responsibilities.

5 CA Facility, Management, and Operational Controls

5.1 Physical Controls

Physical and environmental securities of the systems constitute the foundation of the security of entire CFCA system. Physical and environmental controls include

infrastructure management, monitoring of the environment, area access control, device security and disaster prevention, etc. The CFCA system is placed in a safe and robust building, and possesses independent software and hardware operation environment. The site selection has fully considered threats, such as water hazards, fire, earthquakes, electromagnetic disruption, radiation, criminal activities and industrial accidents.

5.1.1 Site Location and Construction

The computer room of the CFCA CA system is located in the No.2 Building (China Union Pay Beijing Information Centre), Zhongguancun Software Park, Haitian District, Beijing. Access to the computer room is subjected to a three-layer control. The electromagnetic shielding of the computer room meets the Level “C” requirements of the GJBz20219—94 Standard. The computer room is built to prevent and minimize the impacts of earthquakes, fire and water exposures. The computer room is equipped with temperature and humidity control devices, independent power supply, back-up power generator, access control and camera monitors. These security measures can ensure the continuity and reliability of the certification services.

5.1.2 Physical Access

Victors are subjected to the authentication of the China Union Pay Beijing

Information Centre and CFCA and need to go through two layers of access control before they enter into the office area of CFCA. They are also accompanied by CFCA employees.

The access to the comprehensive computer room by operators is controlled by fingerprint authentication and access card authentication, and is monitored by cameras 7*24.

The access to the restricted computer room by operators is controlled by three layers of security controls: the dual person fingerprint authentication, access card authentication, and dual person access card authentication. The entry and exit of the restricted computer room are recorded in the security system of the monitor room.

5. 1. 3 Power and Air Conditioning

Two sets of three UPSs supply the power for the computer room. As a result, the power supply for the systems can last for over 30 minutes even if one of the UPSs break down. A diesel generator has been put in place to strengthen the power supply stability of the systems. It can be used to power the UPS when the external power supply is cut off.

The computer room is equipped with multiple central air conditioners and ventilation devices to ensure that the temperature and humidity meet the national standards: GBJ19-87 Standards on Heating, Ventilation and Air-Conditioning Design, GB50174-93 Standards on Computer Room Design.

5. 1. 4 **Water Exposures**

CFCA employs professional technical measures to prevent and detect water leakage, and is able to minimize the impact of water leakage on the certification systems.

5. 1. 5 **Fire Prevention and Protection**

The CFCA computer room is built of fire-proof materials, and is equipped with central fire monitors and automatic gaseous media fire-extinguishing systems. It has undergone the checking of a national authority which proves that it can effectively lower fire threat.

5. 1. 6 **Media Storage**

For storage media that store important data, CFCA has developed the "CFCA Production System Database Backup Strategy" and the "CFCA Production System Backup Management Measures" to prevent the leakage of important information and intentional harm and damage.

5. 1. 7 **Waste Disposal**

Files (including paper files, disks and floppy disks, etc.) containing sensitive information should be shredded before disposal. Media must be rendered unreadable before disposal. Media containing confidential information should be terrorized in

accordance with the guidance of the manufacturers. Cryptographic devices and other important key devices are disposed according to the management methods of cryptographic devices.

5.1.8 Off-Site Backup

CFCA has set up a mechanism for same-city off-site backup of core data.

5.2 Procedural Controls

5.2.1 Trusted Roles

Trusted roles of CFCA include:

Customer service personnel

Security personnel

Key and cryptographic device management personnel

Cryptographic device operation personnel

System administration personnel

Human resources management personnel

5.2.2 Number of Persons Required per Task

CFCA has established rigorous policies to ensure segregation of duties based on job responsibilities. Sensitive tasks, such as the access to and management of CA cryptographic hardware and associated key require three trusted persons.

At least two trusted persons are required to perform other operations, such as certificate issuance.

Policies and procedures are in place to ensure clear segregation of duties for its employees who can balance each other's power and monitor each other.

5. 2. 3 Identification and Authentication for Each Role

Before employing a trusted role, CFCA performs background check according to the stipulation in Section 5.3.2.

CFCA uses access card and fingerprint verifications to control physical access. It also determines the access rights of the personnel.

CFCA use digital certification and user name/key to identify and verify trusted roles. The system holds independent and complete record of all operations.

5. 2. 4 Roles Requiring Separation of Duties

Roles requiring segregation of duties include (but are not limited to):

Security personnel, system administration personnel, network management personnel, operators

Subscriber information collection personnel, subscriber identity and information verification personnel, RA information input personnel, RA certificate generation personnel.

5.3 Personnel Controls

CFCA and its RAs should follow the following requirements to manage staff members.

5.3.1 Qualifications, Experience, and Clearance Requirements

Personnel seeking to become trusted roles must present proof of the requisite background, qualifications, and experience needed to perform their prospective job responsibilities, as well as proof of any government clearance.

5.3.2 Background Check Procedures

Prior to commencement of employment of a trusted role, CFCA conducts background checks which include the following procedures:

(1) The applicants submit required materials.

They are required to submit valid proof of their working experience, highest educational degree obtained, qualifications and ID, etc.

(2) CFCA verifies the identities of the applicants.

CFCA HR department would authenticate the submitted materials through phone calls, letters, internet, face-to-face interviews, and reading of archives.

(3) The applicants undergo a three-month probation period.

CFCA would ask the applicants to take exams and scenarios tests, and would observe the performance of the applicants.

The results of the abovesaid exams, tests and observation should meet the requirement stipulated in Section 5.3.1.

(4) The new employees sign confidentially agreements.

CFCA requires the new employees to sign confidentially agreements.

(5) The employment is commenced.

5.3.3 Training Requirements

CFCA provides employees with trainings upon hire. The trainings are arranged according to the job responsibilities and roles of the employees and cover the following topics: PKI concepts, job responsibilities, internal policies and procedures, certification systems and software, relevant applications, operation systems, network, ISO9000 QMS, ISO 27001 ITMS and CPS, etc.

Employees handling Certificate related business must be trained according to the following:

1) Employees responsible for information and identity verification (verification experts) are trained on: basic PKI concepts, validation and verification policies and procedures, major threats during the verification (e.g. network phishing and other social engineering techniques) and EV certificate standards.

2) Training records should be kept and ensure that verification experts meet the technical demands of their jobs.

3) Different certificate issuance rights should be given to the verification experts

according to their levels of technical skills. The grading standards of technical skills should be aligned with the training content and performance evaluation criteria.

4) Before designation of certificate issuance rights, CFCA should make sure all the verification experts of different technical levels are competent of their jobs.

5) All verification experts should be required to pass the internal examination on identity verification of certificates.

CFCA provides employees with at least one business training opportunity every year to continuously improve their professional skills and maintain the professional level required to complete their work. At the same time, when the CA system is updated and upgraded, corresponding training will also be provided to its employees.

5.3.4 Retraining Frequency and Requirements

CFCA provides refresher training and updates to their personnel to the extent and frequency required to ensure that such personnel maintain the required level of proficiency to perform their job responsibilities competently and satisfactorily.

5.3.5 Job Rotation Frequency and Sequence

CFCA determines and arranges job rotation frequency and sequence according to the situations.

5.3.6 Sanctions for Unauthorized Actions

Employees who have taken unauthorized actions would be suspended from their jobs and subjected to disciplinary punishments according to relevant administration policies and procedures.

5.3.7 Independent Contractor Requirements

Personnel seeking to become the independent contractors of CFCA need to provide valid proof of ID, diplomas and qualifications, and sign confidentiality agreements with CFCA before the commencement of their employment.

5.3.8 Documentation Supplied to Personnel

CFCA provides its employees the requisite documents needed to perform their job responsibilities.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

Logs include but are not limited to the following six types:

1. CA key life cycle management events, including key generation, backup, recovery, archival and destruction;
2. The identity information of the Subscribers recorded in the RA system.
3. Certificate life cycle management events, including certificate requests,

rekey and revocation;

4. System and network security records, including the record of the intrusion detection system, logs generate during system daily operations, system problem handling forms, system change forms and etc;

5. Access control records;

6. System inspection records.

Log entries include the following elements: date and time of the entry; serial or sequence number of entry; identity of the entity making the journal entry kind of entry.

5. 4. 2 Frequency of Processing Log

Type one logs listed above are collected and managed by the key administrators; type two and three are recorded by the database and undergo incremental backup daily, and weekly full backup; type four logs are automatically stored on backup devices daily; type five logs are audited quarterly; type six logs are checked daily.

5. 4. 3 Retention Period for Audit Log

Audit logs related to certificates shall be retained for at least ten years following the date the certificate expires or is revoked.

5. 4. 4 Protection of Audit Log

Management policies have been established, while logical and physical controls are in place to restrict operation on audit logs to authorized personnel. The audit logs are under strict protection which fends off any unauthorized manipulation.

5. 4. 5 Audit Log Backup Procedures

The backup of system, database and transaction logs follows CFCA's Log Management Method and Data Backup Management Methods.

5. 4. 6 Audit Collection System

Applications, network and operation systems automatically generate audit data and records.

5. 4. 7 Notification to Event-Causing Subject

Where an event is logged by the audit collection system, no notice is required to be given to the individual and organization that caused the event.

5. 4. 8 Vulnerability Assessments

Using audit logs, vulnerability assessments are periodically on system, physical facilities, operation management, human resources management and other aspects. Actions are taken according to the assessment reports.

5.5 Records Archival

5.5.1 Types of Records Archived

Besides the records stated in Section 5.4.1, CFCA archives:

1. Application documents, identity verification documents, Agreements signed with Subscribers, Subscriber certificates and ;
2. CPS, CP and management policies;
3. Employee materials, including employee information, background check document, training, employment and resignation records;
4. Internal and external assessment documents.

5.5.2 Retention Period for Archive

CFCA would retain all archived documents for 5 years after the expiry of corresponding certificates.

If required by laws, CFCA will adjust the record retention period. The certificate revocation records on CRL and OCSP shall not be deleted during the valid period of the certificate.

5.5.3 Protection of Archive

CFCA has made policies to protect the archives.

For electronic archives, only authorized trusted persons are able to obtain

access to them. The archives are protected against unauthorized viewing, modification, deletion, or other tampering during their retention period. To this end, CFCA uses reliable storage media and archive processing applications.

For paper archives, CFCA has made corresponding management methods, and has appointed dedicated librarian to manage the archives. Policies have been formulated to restrict the access to the paper archives to authorized personnel.

5.5.4 Archive Backup Procedures

Database, operation systems and logs are backed up.

Database backup: local and offsite backup, incremental and full backup.

Operation system backup: Backup performed at when the operation system is launched and when there are system changes.

5.5.5 Requirements for Time-Stamping of Records

Archives shall contain time and date information. Time and date information shall be added to system generated records according to standards.

5.5.6 Archive Collection System

CFCA has put in place an automatic archive collection system.

5.5.7 Procedures to Obtain and Verify Archive Information

Only authorized trusted persons can have access to archives. When archives are

restored, they should be checked for completeness.

5.6 Key Changeover

CA key pairs are retired from service at the end of their respective accumulative maximum lifetime as defined in Section 6.3.2. Key changeover unfolds according to the following procedures:

A superior CA should stop issuing new subordinate CA certificates before the expiration date of its private key is less than the validity period of the subordinate CA (the "stop issuing date").

Generate a new key pair, and issue a new superior CA certificate.

Upon successful validation of Subordinate CA (or end-user Subscriber) Certificate requests received after the "Stop Issuance Date," Certificates will be signed with a new CA key pair.

The Superior CA continues to issue CRLs signed with the original Superior CA private key until the expiration date of the last Certificate issued using the original key pair has been reached.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

CFCA has established a business continuity plan (BCP). It provides guidance to actions when CFCA is attacked or undergoes communication or network

breakdown, computers and devices do not function normally, software is compromised, and when database is tampered.

The BCP is the responsibility of the CFCA Operation Security Committee (Security Committee for short), who's functions include direct and manage information security, approve and release BCPs, launch disaster recovery, etc. The Security Committee is made of leaders and the department heads.

Business interruption is classified as emergencies and disaster events. Emergencies are interruptions with major impacts on services to the client, but the service resumption is not affected by external factors and can be achieved with a short period of time. Disaster events are interruptions caused by force majeure, such as natural disasters, contagious disease, and political outbreaks, etc.

CFCA has formulated corresponding emergency procedures for emergencies and disaster events.

When emergency happens, the head of the Security Committee will convene a meeting of the members to evaluate the interruption. The operation department will perform the predetermined procedures. Meanwhile, the marketing department and technical support department will properly handle the affected clients. Afterward, CFCA will evaluate the effectiveness of the risk prevention measures and improve on them.

When a disaster event happens, it will be handled according to the stipulations stated in Section 5.7.4.

As to normal breakdowns, it will be resolved within two hours; emergencies, 24 hours. As to disaster events, if normal operations are not possible at the main site for disasters or other force majeure, certification services will be resumed within 48 hours at the backup site using backup data and devices.

Dedicated problem reporting and response capacity have been designated for SSL certificates:

1) CFCA provides a 7 * 24 service hotline (400-880-9888) to subscribers, relying parties, software developers, and other third parties to explain how to report certificate complaints, private key leaks, improper use of certificates, or other forms of fraud, leakage, improper use, or misconduct to CFCA.

2) CFCA will begin investigation of all Certificate Problem Reports within twenty-four (24) business hours and decide whether revocation or other appropriate action is warranted based on at least the following criteria:

- (i) The nature of the alleged problem;
- (ii) Number of Certificate Problem Reports received about a particular Certificate or website;
- (iii) The identity of the complainants; and
- (iv) Relevant legislation in force.

3) CFCA takes reasonable steps to provide continuous 24/7 ability to internally respond to any high priority Certificate Problem Report, and where appropriate, forward such complaints to law enforcement and/or revoke an Certificate that is the

subject of such a complaint.

5.7.2 Computing Resources, Software, and/or Data are Corrupted

In the event of the corruption of computing resources, software, and/or data, such an occurrence is classified according to the stipulations in Section 5.7.1 and is acted upon according to its classification.

5.7.3 Entity Private Key Compromise Procedures

CFCA has formulated an emergency plan on root private key leakage, which clearly stipulates the internal processing procedures, responsibilities of personnel and the procedures of external communication.

Once a root private key leakage is confirmed, CFCA will report to the competent department regarding the time, cause of the leakage and corrective actions.

Once CFCA confirms the leakage of the root private key, it will immediately notify subscribers and relying parties through official websites, emails, and other means, revoke all certificates, and no longer issue new certificates.

5.7.4 Business Continuity Capabilities after a Disaster

CFCA has set up a data backup center and a corresponding BCP to ensure business continuity after a disaster.

If normal operations are not possible at the main site for disasters or other force majeure, certification services will be resumed within 48 hours at the backup site using backup data and devices.

5.8 CA or RA Termination

When CFCA plans to terminate certification services, it will report to the competent department sixty days in advance, and go through the procedures of cancelling certification qualification.

When CFCA plans to suspend or terminate certification services, it will take the following actions ninety days in advance:

Notice the RA, subscribers, relying parties and other parties about continuation of the services;

Compensate the RA according to the cooperative agreement;

Compensate the subscribers and relying parties according to the service agreements;

Provide the business undertaker with the following and more information: certificate transaction materials, certificate repository, and latest certificate status information.

CFCA will report to the competent department about the suspension or termination of its certification services sixty days in advance, and will make arrangement with the business undertaker.

If CFCA fails to reach an agreement with the other certification service organization about business transfer, it can request the competent department to arrange one.

If the competent department has regulations in this aspect, those regulations should be followed strictly.

6 Technical Security Controls

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

1. CA Signing Key Generation

CA signing key generation is performed within the cryptographic device meeting the requirements of the state cryptography administration. The cryptographic device uses split ownership (secret share) and secret sharing mechanism to backup the key pairs, the fragments of which are held by shareholders (the custodians of the key fragments). The key generation ceremony is performed strictly according to the management methods of cryptographic devices and keys. Five persons are selected and authorized as the custodians, who use the passwords they input to protect the key fragments they are entrusted with. The key fragments are stored in smart IC cards. The CA key generation occurs in the area with the highest security level. Three out of the five custodians perform the ceremony which

is monitored by a third party auditor. The CA key generation, storage and password cryptographic modules should meet the requirements of the state cryptography administration.

2. RA Key Generation

Generation of RA key pairs is performed under security controls. The RA certificates are issued by CFCA.

3. Subscriber Key Generation

Generation of subscriber key pairs is performed by the subscribers. They should ensure the reliability of the key pairs and is responsible for protecting the private key, and bears corresponding legal obligations.

Generation of key pairs of pre-generated certificates is performed by authorized personnel. Stringent policies have been made to ensure the security of key pairs when the certificates are delivered to the subscribers.

CFCA is obliged to provide guidance to the subscribers to perform key generation according to correct procedures. CFCA would reject a certificate application with weak keys. When needed, it can designate technical personnel to assist the subscribers in key generation.

Parties other than the subscriber should not archive subscriber's private key.

CFCA can provide corresponding technical support personnel to assist subscribers in generating keys according to the correct process when needed, and CFCA will refuse weak key applications for digital certificates.

6. 1. 2 Private Key Delivery to Subscriber

When end-user subscriber key pairs are generated by the end-user subscriber, private key delivery to a subscriber is not applicable.

6. 1. 3 CA Public Key Delivery to Relying Parties

CA public key that can be used to verify the signature of CFCA is available in the repository.

6. 1. 4 Key Sizes

As to key sizes, CFCA follows the explicit regulations and requirements made by the judicial authorities and the competent department.

Following are the current key sizes and algorithms of the CA signing keys under the CFCA Identity CA System:

CFCA Identity CA---RSA-4096/SHA-256;

CFCA Identity OCA—RSA-2048/SHA-256

The key size of subscriber keys is RSA-2048.

6. 1. 5 Public Key Parameters Generation and Quality Checking

Public key parameters are generated by cryptographic devices approved by the state cryptography administration. The device should possess the credentials issued

by the state cryptography administration. The devices should meet the requirements stated in the Specification of Cryptography and Related Security Technology for Certificate Authentication System released by the State Cryptography Administration and other relevant standards and requirements. An example is the quality inspection standard of public key parameters. The built-in protocols and algorithms of the devices should be of satisfactory security levels.

6.1.6 Key Usage Purposes

CA private key is used to sign its certificate, subordinate CA certificate, subscriber certificate and CRL. CA public key is used to verify the signature of private keys. The usages of subscriber keys are as follow:

Certificate Type	Algorithm	Key Size	Maximum Lifetime (Year)	Key Usage	Extended Key Usage	Policy OID
Personal Advanced Document Signing Certificate	RSA-2048/SHA256	RSA-2048	3	Digital Sign Non-repudiation	Email Protection Document Signing Adobe Document Signing	2.16.156.112554.5.1
Organization Advanced Document Signing Certificate	RSA-2048/SHA256	RSA-2048	3	Digital Sign Non-repudiation	Email Protection Document Signing Adobe Document Signing	2.16.156.112554.5.1
Personal Document Signing Certificate	RSA-2048/SHA256	RSA-2048	3	Digital Sign Non-repudiation	Email Protection Document Signing	2.16.156.112554.5.1
Organization Document Signing Certificate	RSA-2048/SHA256	RSA-2048	3	Digital Sign Non-repudiation	Email Protection Document Signing	2.16.156.112554.5.1

6.2 Private Key Protection and Cryptographic Module Engineering Controls

6.2.1 Cryptographic Module Standards and Controls

The cryptographic modules used by CFCA are products approved by the National Cryptographic Administration and comply with the "GM/T 0028 2014 Cryptographic Module Security Technical Requirements", which is equivalent to the FIPS 1402 standard. The password module of the CA system meets the technical requirements of FIPS 140 2 Level 3, and the password module used by the subscriber meets the technical requirements of FIPS 140 2 Level 2.

6.2.2 Private Key (n out of m) Multi-Person Control

CFCA CA keys are stored in the encryption machine, and the management KEY of the encryption machine is divided into five IC cards or USB-keys, which can be held by five authorized security administrators, and stored in the safe in the most secure zone in the shielded equipment room. The activation of the CA private key requires the present of the three shareholders out of the five. This ensures the security of sensitive operations through technologies and policies.

6.2.3 Private Key Escrow

CA private keys are not escrowed.

6.2.4 Private Key Backup

The CA private keys are generated in cryptographic devices with dual backups. The cryptographic devices are stored in environment that prevents high temperature, high humidity and magnetic affects. The backup operation of the cryptographic devices requires the present of at least three (including three) operators.

The subscriber private keys are generated by the subscribers, who are recommended to backup the keys, and protect the backups by using passwords and other access controls. The purpose is to prevent unauthorized edit or leakage.

6.2.5 Private Key Archival

Upon expiration of the CFCA CA key pairs, they will be securely retained for a period of at least ten years using hardware cryptographic modules described in Section 6.2.1. These CA key pairs are prevented by the CFCA key management policies and procedures to be used in any production system. At the end of the archival periods, CFCA will destroy the key pairs according to the methods stated in Section 6.2.10..

6.2.6 Private Key Transfer Into or From a Cryptographic Module

CFCA generates CA key pairs on the hardware cryptographic modules. In addition, CFCA has established backup cryptographic devices. Backup CA key pairs

are transported off-line in encrypted form.

Subscriber private keys generated by hardware cannot be exported from the cryptographic modules. The subscriber private keys generated in the other ways can be exported in encrypted form.

6.2.7 Private Key Storage on Cryptographic Module

The private keys are stored in hardware cryptographic modules as encrypted key fragments as cipher-text.

6.2.8 Method of Activating Private Key

1. Activation of Subscriber Private Key

If the subscriber private key is generated and stored by software, it's stored in the software cryptographic module of the application and protected by passwords. When the application is started up, the software cryptographic module is loaded. Once the module has verified the passwords, the subscriber private key is activated.

When the subscriber private key is generated and stored by hardware cryptographic module, it's protected by the passwords (or pin code) of the hardware. When the cryptographic module is loaded, and verifies the passwords, the subscriber private key is activated.

2. Activation of CA Private Key

CFCA uses hardware (cryptographic devices) to generate and store CA private

key. The activation data is splitted according to the provisions stated in Section 6.2.2.

Once the CA private key is activated, it will stay activated until the CA log off.

6. 2. 9 Method of Deactivating Private Key

The subscriber private key is deactivated upon application termination, system log off or power-off of the system.

The CA private key is deactivated upon power-off or re-initialization of the hardware cryptographic module.

6. 2. 10 Method of Destroying Private Key

Where required, CFCA will archive the CA private key according to the provisions stated in Section 6.2.5. The other CA private key backups will be destroyed in a secure manner. At the end of the archival period, the archived private key will be destroyed when at least three trusted personnel are presented.

The subscriber private key should be destructed after authorization. At the end of the life cycle of the private key, all corresponding key copies and fragments should be destroyed.

6. 2. 11 Cryptographic Module Rating

CFCA uses high speed host cryptographic devices with complete independent IPR that have been certified and approved by the State Cryptography

Administration.

6.3 Other Aspects of Key Pair Management

6.3.1 Public Key Archival

The archival of public keys follows the same requirements as that of certificates, including requirements on retention period, storage and security measures. Please refer to Section 5.5 for the requirements.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

The maximum validity period of CA certificates is 25 years. The validity period of subscriber certificates issued by CFCA Identity CA is one to three years.

The operational period for key pairs is the same as that for associated certificates. However, the public keys of signing certificates may continue to be used for verification of signatures generated during the validity period of the certificates. This is so until the private keys are compromised, or the key pairs are at risk of decryption. An example of such risks is the decryption of encryption algorithm. For encryption certificates, the private key may continue to be used to ensure successful decryption of information encrypted during the validity period of the certificate.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

1. The generation of CA private key follows the requirements stated in Section 6.2.2.
2. For subscribers, the activation data is the passwords that protect the private keys. For subscribers of pre-generated certificates, the activation data contains the binding identity information. CFCA recommends the subscribers to select strong passwords to protect their private keys.
 - The passwords need to contain at least six characters.
 - Subscribers are recommended not to use information that can be easily guessed or decrypted, such as birthday or simple and repeated numbers.

6.4.2 Activation Data Protection

1. CFCA shareholders are required to safeguard their secret shares and sign an agreement acknowledging their shareholder responsibilities.
2. The RA is required to store their Administrator/RA private keys in encrypted form using password protection.
3. Subscribers are required to store their private keys in encrypted forms and are recommended to protect their private keys by using double-factor verification (e.g. hardware and strong password).

6.4.3 Other Aspects of Activation Data

7.13.3.1 Activation Data Transmission

The cryptographic devices and related IC cards containing CA private keys are usually stored in the area with the highest security level, and are not allowed to be taken out of CFCA. If special circumstances necessitate the transmission, it should be witnessed by the security personnel and shareholders.

The passwords for private key activation transported through networks should be in encrypted forms to prevent loss.

7.13.3.2 Activation Data Destruction

CFCA destroys the activation data of CA private key by device initialization.

When the activation data of subscriber private key is no longer needed, it shall be destroyed. The subscriber should make sure that no other party can restore the data directly or indirectly through the residual information or the storage media.

6.5 Data Security Controls

6.5.1 A Security Plan made for Data Protection

1. CFCA adopts access controls and encryption signature to: ensure controls on CA; protect the confidentiality, completeness and serviceability of the data relating to certificate request, and the procedures relating to Certificate; restrict

access, usage, disclosure, edit and destruction of the above data to authorized and legitimate personnel; protect the above data from accidental loss, destruction and compromise; prevent the above data from foreseeable threats and compromise.

2. CFCA takes actions to verify the confidentiality, completeness and serviceability of the “Certificate data”, and the key, software and procedures used in certificate issuance, repository maintenance and certificate revocation.

3. CFCA ensures that the data it maintained are in line with the security demands of relevant laws and regulations.

6. 5. 2 Periodic Risk Assessment of Data Security

1. CFCA carries out periodic risk rating to identify the foreseeable internal and external threats that may subject “Certificate data” and “Certificate procedures” to unauthorized access, use, disclosure, edit and destruction;

2. According to the sensitivity of the “Certificate data” and “Certificate procedures”, the risk rating assesses the possibility of the identified threats and the harm they are expected to cause.

3. Annual reviews are carried out on the controls to determine the comfort they bring, including the policies, procedures, information systems, technologies and other relevant factors.

6.5.3 Security Plan

Based on the above risk assessments, a security plan is made to address the making, implementing and maintaining security procedures and measures, and products designed for data security. Proper management and controls will be applied on identified risks according to the sensitivity of the “Certificate data” and “Certificate procedures”, as well as the complexity and scopes of the procedures.

The security plan should contain administrative and organizational structure, technical and physical controls adaptive to the scale, complexity, nature and scope of the “Certificate data” and “Certificate procedures”. The design of security controls should consider available technologies in the future and corresponding costs. The controls should be aligned with the potential harm caused by the absence of the controls, and the nature of the data to be protected.

6.6 Computer Security Controls

According to the regulations on system security management, CFCA requires the CA and RA to use trustworthy and secure operation systems to provide services. The corporate clients are required to do the same.

6.6.1 Specific Computer Security Technical Requirements

CFCA practices information security management that is in line with relevant national regulations. Key security technologies and controls include: secure and

trustworthy operation systems, stringent identity authentication and access control policies, multi-layer firewall, segregation of duties, internal controls, and business continuity plans, etc.

6.6.2 Computer Security Rating

The CFCA Global Trust System has undergone the security appraisal of the State Cryptographic Administration and other relevant departments.

6.7 Life Cycle Technical Controls

6.7.1 Root Key Controls

The root key generation ceremony should be witnessed by a qualified auditor, who then issue a report opinion that CFCA, during its root key and certificate generation process:

1) Included appropriate detailed procedures and controls in a documented plan of procedures to be performed for the generation of the root certification authority key pair (the “Root Key Generation Script”) for the Root CA;

2) Maintained effective controls to provide reasonable assurance that the Root CA was generated and protected in conformity with the procedures described in its CP/CPS and with its Root Key Generation Script;

3) Performed, during the root key generation process, all the procedures required by its Root Key Generation Script;

4) A video of the entire key generation ceremony will be recorded for auditing purposes.

These stipulations are also applicable for the controls of other keys.

6. 7. 2 System Development Controls

The developers of CFCA's systems meet relevant national security standards and possess manufacturing licenses of commercial cryptographic products. The development process also meets the requirements of the State Cryptographic Administration.

6. 7. 3 Security Management Controls

CFCA follows the norms made by the competent department in practicing information security management of its systems. Any system change must undergo stringent tests and reviews before implementation and use. At the same time, CFCA has set up strong management policies based on the ISO9000 quality management system standards. Core data is backed up daily according to a scheduled timetable by dedicated personnel. Data recovery is performed monthly by dedicated personnel to test the serviceability of the data.

6. 7. 4 Life Cycle Security Controls

The developers of CFCA's systems meet relevant national security standards

and possess manufacturing licenses of commercial cryptographic products. The development process also meets the requirements of the State Cryptographic Administration. The source code of the systems is backed up at the State Cryptography Administration to ensure system continuity.

6.8 Network Security Controls

CFCA employs the following measures to protect its networks from unauthorized access and hostile attacks:

1. Screen external access information through the router;
2. Place servers with independent functions at different network segments;
3. Set up multi-layer firewall, spilt the network, and implement robust access control technologies;
4. Protect data through verification and access controls;
5. Install intruder detection products in the network to protect the network through inspection and monitoring, so that CFCA can be alerted of and respond to intruders as soon as possible;
6. All terminals should be installed with anti-virus software, which is updated regularly;
7. Adopt redundancy design.

6.9 Time-Stamping

Certificates, CRLs, OCSP, and electronic certification system logs shall contain time and date information. Such time information should be consistent with the national standard time.

7 Certificate, CRL, and OCSP Profiles

7.1 Certificate Profile

The format of Certificates issued by CFCA conforms to the digital certificate standard GM/T 0015-2012 and contains the following fields. Please refer to Appendix B for the fields contained in EV SSL certificates.

7.1.1 Version Number(s)

CFCA certificates are X.509 V3 certificates. This information is contained in the “Version” field of the certificates.

7.1.2 Certificate Extensions

Certificate extension is an extended sequence for one or more certificates and is targeted for a specific type of certificates or specific users. The certificates issued by CFCA contain private extensions, which are set as non-critical extensions. The extensions of root CA certificate follow the RFC 5280 standard except four

extensions: Basic Constraints, Key Usage, Certificate Policies and Extended Key Usage.

7.1.2.1 Authority Key Identifier

CFCA populates the Authority Key Identifier extension subscriber certificates and CA certificates. This extension is used to identify the corresponding public key of the private key that signed the certificate, and thus distinguish the different keys used by the same CA. It's a non-critical extension.

7.1.2.2 Subject Key Identifier

The subscriber certificates are populated with the Subject Key Identifier, which marks the public key contained in the certificate, and is used to distinguish the different keys used by one subscriber (e.g. certificate rekey). Its value is exported from the public key or by generating a unique value. This is a non-critical extension.

7.1.2.3 Key Usage

The Key Usage extension defines the usages of the public key contained in the certificate, including certificate signing and CRL issuing. It's a critical extension for CA certificates, and a non-critical extension for subscriber certificates.

7.1.2.4 Basic Constraints

Basic Constraints is used to label whether a certificate subject is a CA, and determine the possible certification path length. The extension follows the RFC5280 standards. It's a critical extension for CA certificates, and a non-critical extension for subscriber certificates.

7.1.2.5 Extended Key Usage

This extension is used to indicate the one or more uses that are supplements or substitutes of the uses stated in the Key Usage extension.

For document signing certificate, this could be one or combination of client authentication, codesigning, safe e-mail, time stamping.

7.1.2.6 CRL Distribution Points

Certificates include the CRL Distribution Points extension which can be used to locate and download a CRL. This extension MUST present and MUST NOT be marked Critical. (As in BR Appendix B)

7.1.2.7 Subject Alternative Names

The Subject Alternative Names extension contains one or more alternative names (can be in any name form) for the certificate subject. CA binds the subject with the public key contained in the certificate. The extension is populated in

accordance with the RFC5280 and RFC2459 standards.

All information contained in the filed must be verified by CFCA.

7. 1. 3 Algorithm Object Identifiers

The certificates of CFCA Identity CA System issued by CFCA are signed using SHA-256 RSA algorithm, and comply with RFC5280 standards.

7. 1. 4 Subject Name

This section describes the entity's situation corresponding to the subject field in the public key. CFCA follows the X.500 standards on distinguished name (DN). DN is used to describe the corresponding entity of the public key. CFCA makes sure that the DN is unique by establishing the CFCA Certificate DN Rule. All information contained in the certificate is verified by the CFCA.

The following parts must be included in the CFCA Identity Certificate Issuance:

- 1、 CN: the legal name of subscriber.
- 2、 OU: optional, this field could contain department name or confirmed information from customer, CFCA would verify accordingly if this field exists.
- 3、 OU2: optional, ONLY if the other fields in the certificate couldn't be gathered as a unique DN, CFCA will negotiate with customer to fulfil this

field.

- 4、 O: Indicates legal name of applicants.
- 5、 L: applicants' registration or operation city or same level administration zone.
- 6、 ST: applicants' registration or operation province or same level administration zone.
- 7、 C: Indicates the abbreviation of the country of the applicant, all in capital form. For example, Chinese subscriber would be indicated as C=CN.

The country, province and city names in the DN must be those listed in the standards released by authorities (e.g. ISO country code).

For the document signing certificate, the uppers should be included, CN part should be the real name of subscriber. Before the application, CFCA advises subscribers to generate CSR following this and CFCA will issue the certificate after authentication.

7. 1. 5 Name Constraints

Subscribers are not permitted to use anonymity or pseudonymity. The names must be distinguished names with clear meaning. When English names are used, they must be able to identify the entities.

7.1.6 Certificate Policy Object Identifier

When the Certificate Policies extension is used, the “certificate Policies: policy Identifier” field should be set to “anyPolicy”.

Certificate Policy OIDs of subscriber certificates are as follow:

Document Signing Certificate Policy OID = 2.16.156.112554.5.1

7.1.7 Usage of Policy Constraints Extension

Not applicable.

7.1.8 Policy Qualifiers Syntax and Semantics

Not applicable.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

Not applicable.

7.2 CRL

7.2.1 Version Number(s)

CFCA uses X.509 V2 CRL.

7.2.2 CRL and CRL Entry Extensions

CRLs conform to RFC 5280 and contain fields and contents specified below:

1. Version

The version of the CRL

2. Issuer

The distinguished name of the CA that issues the CRL.

3. This Update

Issue date of the CRL.

4. Next Update

Date by which the CRL will be issued.

5. Signature Algorithm

6. Revoke Certificates

Listing of revoked certificates, including the serial number of the revoked certificate and the revocation date.

7.3 OCSP Profile

CFCA Identity CA system provides Online Certificate Status Protocol services.

On a network working normally, CFCA ensures adequate resources to provide the result for an inquiry on CRL and OCSP within a reasonable span of time.

8 Compliance Audit and Other Assessments

8.1 Frequency and Circumstances of Assessment

Following are the assessment performed:

- 1、 Assessments and inspections by the competent department based on the Electronic Signature Law of the People's Republic of China, the Methods for the Administration of Electronic Certification Services, the Methods for the Administration of Cipher Codes for Electronic Certification Services.
- 2、 Regular assessments carried out by external accounting organizations.
- 3、 WebTrust audits carried out by third party accounting firms.

Assessment frequency:

- 1、 Annual assessment: the competent department carries out annual reviews on CFCA.
- 2、 Pre-issuance assessment: Before launching a new system, it must be reviewed and signed off by the competent department.
- 3、 Regular assessment: Regular assessments are carried out by external auditors according to relevant international or domestic standards and requirements.
- 4、 Annual WebTrust assessments are carried out with the reports released within three months after period end.

8.2 Identity/Qualifications of Assessor

Compliance audits are performed on CFCA by an experience accounting firm that demonstrates proficiency in IT operation management, public key infrastructure technology, relevant laws, regulations and standards.

The external auditors should:

Be with an independent accounting firm that is qualified to provide third party certification on information science and technology, information security, PKI and system audit;

Hold valid qualifications WebTrust assurance when the services are provided;

Be the members of AICPA or other association with clear qualification standards for its members.

8.3 Assessor's Relationship to Assessed Entity

The assessor should have no business relationship, financial interest or any other interest relation with CFCA.

8.4 Topics Covered by Assessment

Assessment topics should include but are not limited to the following:

1. Physical environment and controls
2. Key management operations
3. Basic controls

4. Certificate life cycle management

5. Certificate Practice Statement

8.5 Actions Taken as a Result of Deficiency

CFCA management should review the audit reports and take corrective actions on significant exceptions and omissions identified in the audits within 20 days after audit completion.

8.6 Communications of Results

If there are legal provisions or decisions of industry authorities, CFCA will release to the public the inspection or evaluation results of CFCA by industry authorities. When CFCA is audited by an external audit agency, CFCA will publish the external audit results on the company's website.

CFCA will release the results of external audits on its website.

Results of internal audits are communicated inside CFCA.

8.7 Other Assessment

CFCA controls the service quality through continual self-assessments, on a quarterly basis. Compliance to relevant policies and rules are assessed during the assessment period. During the period in which it issues Certificates, CFCA will control its service quality by performing ongoing self audits against a randomly

selected sample of at least three percent (3%) of the Certificates it has issued in the period beginning immediately after the last sample was taken. For EV certificates, compliance to EV certificates standard would be examined, and the sample selected would not be less than 3% of the certificates issued in the period.

9 Other Business and Legal Matters

9.1 Fees

9.1.1 Certificate Issuance or Renewal Fees

At the point of certificate purchase, CFCA informs the subscribers of the fees for certificate issuance and renewal, charged according to the regulations of the marketing and management departments.

9.1.2 Certificate Access Fees

CFCA does not charge a fee for this service, but reserves the right to do so.

9.1.3 Revocation or Status Information Access Fees

CFCA does not charge a fee for this service, but reserves the right to do so.

9.1.4 Fees for Other Services

CFCA reserves the right to charge a fee on the other services it provides.

9.1.5 Refund Policy

A refund shall not be provided unless CFCA has breached the responsibilities and obligations under this CPS.

CFCA shall not be held responsible for loss or consequence caused by the incomplete, unauthentic or inaccurate certificate request information submitted by the subscribers.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

CFCA determines its insurance policies according to its business development and the business of domestic insurance companies. As for EV certificates, CFCA has undergone financial auditing provided by third party auditors, and has reserved insured amount for planned customers.

9.2.2 Other Assets

CFCA shall have sufficient financial resources to maintain its operation and perform their duties, and must be reasonably able to bear the responsibilities to subscribers and relying parties.

This clause is applicable for the subscribers.

9.2.3 Insurance or Warranty Coverage for End Entities

If according to this CPS or other laws and regulations, or judged by the judicial authorities, CFCA shall bear compensation and reimbursement obligations, CFCA would make compensation and reimbursement according to relevant laws and regulations, the ruling of the arbitral bodies and court decisions.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

Information that shall be kept confidential and private includes but is not limited to the following:

1. Information contained in the agreements signed between CFCA and the subscribers, and relevant materials, which has not been publicized. Unless demanded by laws, regulations, governments and law enforcement agencies, CFCA shall not publicized or reveal any confidential information other than the certificate information.
2. Private keys held by the subscribers. The subscribers are responsible to custody the private keys according to the stipulations in this CPS. CFCA will not be held responsible for the private key leakage caused by the subscribers.

9.3.2 Information Not Within the Scope of Confidential Information

Following is information not considered confidential:

1. Information on the certificates issued by the CFCA, and on the CRL.
2. Data and information known by the receiving party prior to their release by the supplying party.
3. Information that becomes publicly known through no wrongful act of the receiving party, upon or after the supplying party reveals the data or information.
4. Data and information that are publicly known.
5. Data and information released to the receiving party by rightful third party.
6. Other information that can be obtained from open and public channels.

9.3.3 Responsibility to Protect Confidential Information

Stringent management policies, procedures and technical instruments have been employed by CFCA to protect confidential information, including but is not limited to business confidential information and client information. No employee of CFCA has not been trained on handling confidential information.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

CFCA strictly complies with the Personal Information Protection Law of the People's Republic of China. Any subscriber who chooses to use CFCA's certificate service indicates that they have accepted CFCA's personal information protection system.

CFCA's "Legal Declaration and Personal Information Protection Policy" has been posted on its official website (<https://www.cfca.com.cn>) .

9.4.2 Information Treated as Private

CFCA treats all information about subscribers that is not publicly available in the content of a certificate, and certificate status information as private. The information will be used only by CFCA. Private information shall not be revealed without the consent of the subscribers, or demands of judicial or public authorities raised pursuant to legitimate procedures.

9.4.3 Information Not Deemed Private

Content on the certificates and certificate status information are not deemed private.

9.4.4 Responsibility to Protect Private Information

CFCA, RAs, subscribers, relying parties and other organizations and individuals are obliged to protect private information according to the stipulations in this CPS. CFCA is entitled to disclose private information to specific parties in response to the demands raised by judicial and public authorities pursuant to legitimate procedures, and shall not be held responsible for the disclosure.

9.4.5 Notice and Consent to Use Private Information

- 1、 The subscribers consent that CFCA is entitled to use all information within its business practices according to the privacy policies stipulated in this CPS, and is not obliged to inform the subscribers.
- 2、 The subscribers consent that, CFCA may disclose private information when demanded to do so by judicial and public authorities, and is not obliged to inform the subscribers.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

Other than in the following occasions, CFCA shall not disclose confidential information to any other individual or third party organization:

- 1、 Legitimate applications have been proposed by judicial, administrative departments, and other departments authorized by laws and regulations,

according to laws, regulations, decisions, orders and etc.

- 2、Circumstances authorized by or with the consent of the subscriber.
- 3、Other occasions stipulated in this CPS.

9.4.7 Other Information Disclosure Circumstances

CFCA, subscribers, registration agencies, relying parties, and other institutions or individuals are obligated to assume corresponding privacy protection responsibilities in accordance with the provisions of this CPS. Under legal regulations or with the authorization and consent of public authorities through legal procedures or subscribers, CFCA may provide private information to specific objects, and CFCA shall not be liable for any resulting liability.

9.5 Intellectual Property rights

CFCA owns and retains all intellectual property rights, including the copyrights and patent application rights on the certificates, software and data it provides. The CPS, CP, technical support manual, certificates and CRL are the exclusive properties of CFCA, who owns their intellectual property rights.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

CFCA provides certification services using information security infrastructure

approved by relevant administrative authorities.

CFCA's operation is in conformity with the Electronic Signature Law of the People's Republic of China and other laws and regulations. It accepts the governance of the competent department. CFCA is legally responsible for the certificates it issues.

CFCA's operation is in conformity with this CPS, which is amended as the business changes.

According to the requirements of the Managing Rules for Electronic Certification, CFCA is responsible for auditing the delegated parties' compliance with the CPS and relevant requirements on an annual basis. CFCA retains the rights and responsibilities to keep and use subscribers' information.

9. 6. 2 RA Representations and Warranties

As registration authority of CFCA, It's responsible for verifying the identity of the applicants, determining whether to accept or reject the certificate requests, inputting subscriber information into the RA systems, and deliver the requests information to the CA systems by secure channel.

As the RA, CFCA represents and warrants that:

1、 It abides by its strategies and administrative regulations, verifies the certificate request materials for the completeness and accuracy of the information they contain. It's entitled to accept or reject the certificate requests.

2、 RAs should design an appropriate business process that the certificates are kept properly before issuing to the subscriber and that the certificate will not be used before it is bound to an entity.

3、 If CFCA rejects a certificate request, it's obliged to inform the corresponding subscriber. If CFCA accepts a certificate request, it's obliged to inform the corresponding subscriber, and assist the subscriber in obtaining the certificate.

4、 Certificate requests are handled in a reasonable period of time. Requests are handled within 1-3 working days provided the application materials are complete and meet the requirements.

5、 RAs properly retains the information about the subscribers and the certificates and transfers the documents to CFCA for archival. RAs should cooperate with CFCA according to relevant agreements for compliance audit.

6、 RAs should make subscribers aware of the meaning, function, scope and method of using the third-party digital certificates as well as key management, result and response measures for key compromise, and legal responsibilities.

7、 CFCA informs the subscribers to read its CPS and other regulations. A certificate will only be issued to a subscriber who fully understand and consent the stipulations of the CPS.

9.6.3 Subscriber Representations and Warranties

They have read and understood the entire CPS and relevant regulations, and consented to be bound by this CPS.

They honor the principles of honesty and credibility; that accurate, complete and authentic information and materials are submitted in certificate application; that CFCA will be informed timely of any change in these information and materials. Loss caused by unauthentic information submitted intentionally or accidentally, or failure of the subscribers to inform CFCA when the information changes are borne by the subscribers.

They use the key pairs in trustworthy systems to prevent the keys from being attacked, leaked or misused. They properly protect the private keys and passwords of the certificates issued by CFCA, and do not trust the other parties with the keys. If, accidentally or intentionally, the private keys or passwords are known, stolen or falsely used by others, the subscribers bear the corresponding responsibilities.

The subscribers or legal representatives request for certificate revocation at the original RA as soon as possible, and observe the procedures described in this CPS, if the private keys or passwords of the certificates have been leaked or loss, or the subscribers wish to terminate the usage of the certificates, or the subjects stop to exist,

The subscribers use the certificates in functions that are legitimate and consistent with this CPS.

The subscribers bear the responsibilities for using the certificates.

Subscribers will indemnify CFCA for:

1) Falsehood/incompleteness/misrepresentation of facts by the subscribers on the certificate application. Failure to give timely notice to CFCA when the facts change.

2) Failure to inform all relevant parties and revoke the certificates when the private keys are known to be or may have been lost.

3) Other wrongful acts or failure to honor the agreements.

Subscribers are obliged to pay certification service fee timely. Please consult the Marketing Department for charge standards.

CFCA is entitled to inform the subscribers to change their certificates as the technologies progress. Subscribers shall submit certificate rekey request within specified periods when they receive the notices. CFCA is not liable if the subscribers do not change their certificates timely.

9.6.4 Relying Party Representations and Warranties

Relying parties represent and warrant that:

1. They obtain and install the certificate chains corresponding to the certificates;

2. They verify that the certificates are valid before any act of reliance. To do so, relying parties need to obtain the latest CRL released by the CFCA to ensure that the certificates have not been revoked. All the certificates appear in the certificate paths

should be assessed on their reliability. Validity period of the certificates shall be checked. Relying parties shall also review other information that may affect the validity of the certificates.

3. They make sure that the content on the certificates is consistent with the content to be proved.

4. They obtain sufficient knowledge of this CPS and the usage of certificates, and use the certificates within the scope stipulated by this CPS.

5. They accept the limitation of CFCA's liability described in this CPS.

9.6.5 Representations and Warranties of Other Participants

The unidentified participants should observe the stipulations in this CPS.

9.7 Disclaimers of Warranties

1. If the certificate applicant or subscriber provides inaccurate, untrue, or incomplete information and applies to CFCA for the issuance of the certificate, the subscriber shall bear all legal responsibilities for any disputes arising from the use of the certificate, and CFCA shall not bear any legal responsibility.

2. CFCA is not liable for loss caused by certificate failure, transaction interruption or other incidents, which are caused by device and network breakdown that has happened through no wrongful act of CFCA.

3. CFCA is not liable if the certificate has been used in functions not intended

or prohibited by CFCA.

4. CFCA is not liable if parts of or all of the certification services of CFCA have been suspended or terminated because of force majeure.

5. CFCA is not liable for using services other than CFCA's service of digital signature verification in online transactions.

6. CFCA is not liable for the breach of agreement caused by a partner's ultra vires behavior or other mistakes.

9.8 Limitations of Liability

If according to this CPS or other laws and regulations, or judged by the judicial authorities, CFCA shall bear compensation and reimbursement obligations, CFCA would make compensation and reimbursement according to relevant laws and regulations, the ruling of the arbitral bodies and court decisions.

9.9 Indemnities

1. Unless otherwise stipulated or agreed, CFCA is not liable for any loss not caused by the certification service stated in this CPS.

2. CFCA shall compensate, according to this CPS, the subscriber or relying party, who suffers loss caused by the certification service provided by CFCA. However, CFCA shall not be deemed faultful if it can prove that it has provided services according to the Electronic Signature Law of the People's Republic of China,

the Methods for the Administration of Electronic Certification Services and the CPS filed to the competent department, and shall not be required to bear any compensation and reimbursement responsibility towards the subscriber or relying party.

3.CFCA is not liable for the following, whether it has infringed this CPS or not:

(1) Any indirect loss, direct or indirect loss of profit or income, compromise of reputation or goodwill, loss of business opportunities or chances, loss of projects, loss or failure to use data, device or software;

(2) Any loss or damage caused directly or indirectly by the above loss.

4.If according to this CPS or other laws and regulations, or judged by the judicial authorities, CFCA shall bear compensation and reimbursement obligations, CFCA would make compensation and reimbursement according to relevant laws and regulations, the ruling of the arbitral bodies and court decisions. This is so whether or not this CPS contains contradictive or different regulations.

9.10 Term and Termination

9.10.1 Term

This CPS becomes effective upon publication on CFCA's official website (<https://www.cfca.com.cn/>). Unless otherwise announced by CFCA, the previous CPS is terminated.

9.10.2 Termination

CFCA is entitled to terminate this CPS (including the revisions). This CPS (including the revisions) shall be terminated upon the 30th day after CFCA posts a termination statement on its official website.

The CPS shall remain in force until a new version is posted on CFCA's official website.

9.10.3 Effect of Termination and Survival

Upon termination of this CPS, its provisions on auditing, confidential information, privacy protection, intellectual property rights, and the limitation of liability remain valid.

9.11 Individual Notices and Communications with Participants

To learn more about the service, norms and operations mentioned in this CPS, please contact CFCA at 010-80864610.

9.12 Amendments

CFCA is entitled to amend this CPS and will release the revised version on its official website.

9.12.1 Procedure for Amendment

The procedure for amendment is the same as Section 1.5.4 “CPS Approval Procedure”.

9.12.2 Notification Mechanism and Period

CFCA has the right to revise any terms and conditions in this CPS, and the revised terms will be promptly posted on the CFCA website. If the subscriber does not apply for revocation of their certificate within 7 working days after the revision is released, it will be considered as agreeing to the revised CPS.

9.12.3 Circumstances under Which CPS Must be Amended

CFCA shall amend this CPS if: the rules, procedures and relevant technologies stated in this CPS can no longer meet the demands of CFCA’s certification business; the governing laws and regulations of this CPS have changed.

9.13 Dispute Resolution Provisions

When a subscriber or relying party discovers or suspects that the authentication services provided by CFCA have caused leakage or tampering of the subscriber's electronic transaction information, the subscriber may submit a dispute resolution request to CFCA and notify relevant parties, similar to the Beijing Arbitration Commission's application for Arbitration. Dispute resolution procedures:

1. Notice of dispute

When a dispute occurs, the subscriber should notice CFCA before any corrective action is taken.

2. Resolution of dispute

If the dispute is not resolved within ten days following the initial notice, CFCA will set up an external panel of three external certificate experts. The panel will collect relevant facts to assist the resolution of the dispute. Panel opinion should be formed within ten days following the foundation of the panel (unless the parties concerned agree to extend this period) and delivered to the parties. Panel opinion is not binding on the parties concerned. The signing of the panel opinion by the subscriber or relying party constitutes acceptance of the opinion. As a result, the dispute will be solved according to the panel opinion. The panel opinion will then be reviewed as the agreement between CFCA and the subscriber on the resolution of the dispute and is legally binding. Thus, if the subscriber wants to pull out of the agreement, and submit the dispute to arbitration, it will be bound by the panel opinion to do so.

3. Formal Resolution of Dispute

If the panel fails to put forward effective opinion in the time agreed upon, or the opinion doesn't enable the two parties to agree on the resolution, the parties shall submit the dispute to the Beijing Arbitration Commission.

4. Time Limit for Claim

Any subscriber or relying party who wishes to file a claim against CFCA shall file it within three years from the date of knowing or should have known of the loss of power. If it exceeds three years, the claim is invalid.

9.14 Governing Law

Governing laws of the CFCA CPS include the Contract Law of the People's

中金金融认证中心有限公司（CFCA）版权所有

© CFCA

<http://www.cfca.com.cn>

Republic of China, the Electronic Signature Law of the People's Republic of China and other relevant laws and regulations. If any clause in this CPS is in conflict with the above laws and regulation, or is unenforceable, CFCA shall amend the clause in question till this situation is resolved.

9.15 Compliance with Applicable Law

All the policies of CFCA are in compliance with applicable laws, regulations and requirements of the People's Republic of China and the state information security authorities. In the event that a clause or provision of this CPS is held to be illegal, unenforceable or invalid by a court of law or other tribunal having authority, the remainder of the CPS shall remain valid. CFCA will amend that clause or provision until it's legitimate and enforceable.

9.16 Miscellaneous Provisions

9.16.1 Entire Agreement

The CPS renders invalid the written or verbal explanations on the same topics during the previous or same periods. The CPS, CP, Subscriber Agreement, Relying Party Agreement and their supplement agreements constitute the Entire Agreement for all participants.

9. 16. 2 **Assignment**

The CA, subscribers and relying parties are not allowed to assign their rights or obligations in any form.

9. 16. 3 **Severability**

In the event that a clause or provision of this CPS is held to be illegal, unenforceable or invalid by a court of law or other tribunal having authority, the remainder of the CPS shall remain valid. CFCA will amend that clause or provision until it's legitimate and enforceable.

9. 16. 4 **Enforcement**

Not applicable.

9. 16. 5 **Force Majeure**

Force majeure refers to an objective situation that is unforeseeable, unavoidable and irresistible. Examples of force majeure include: war, terrorist attack, strike, natural disaster, contagious disease, and malfunction of internet or other infrastructure. But all participants are obliged to set up disaster recovery and business continuity plan.

9.17 Other Provisions

CFCA warrants observing the latest version of WebTrust Certification Authority Audit Principles and Rules. Should there be any inconsistency between the CPS and the above document , the latter shall prevail.

9.18 Final Interpretation Rights

The final interpretation rights of this CP&CPS belong to CFCA, who is responsible for interpretation and revision.

Appendix A Definitions and Acronyms

Table of Acronyms

Term	Definition
ANSI	The American National Standards Institute
CA	Certificate Authority
RA	Registration Authority
CRL	Certificate Revocation List
OCSP	Online Certificate Status Protocol
CP	Certificate Policy
CPS	Certificate Practice Statement
CSR	Certificate Signature Request
IETF	The Internet Engineering Task Force
DN	Distinguished Name
FQDN	Fully Qualified Domain Name

Definitions

Term	Definition
Certificate Authority	An authority trusted by the subscribers to generate, issue and manage public keys and certificates; and generate private keys for the subscribers in some occasions.
Registration Authority	An entity responsible for handling the application, approval and management of certificates.
Certificate	An electronic file that contains the identity and public key of the Subscriber, and is digitally signed by the CA.
Certificate Revocation List	A list issued periodically under stringent requirement, digitally signed by the CA, and indicates the certificates that are no longer trusted by the CA.
Online Certificate Status Protocol	A protocol issued by IETF providing information of certificate status.
Certificate Policy	A certificate policy (CP) is a named set of rules that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements.

Certification Practice Statement	A certification practice statement is a statement of practices that the CA employs in certificate issuance, management, revocation and renewal (or renewing the private key of the certificate).
Subscriber	An entity applying for the certificate.
Relying Party	A relying party is an individual or organization that acts on reliance of the trust relations proved by the certificate.
Private Key	An encryption key generated through arithmetical operation (kept by the holder) to create digital signature, and/or to decrypt electronic records or files that were encrypted with the corresponding public key (to ensure information confidentiality).
Public Key	An encryption key generated through arithmetical operation made public by the holder, and that is used to verify the digital signature created with the corresponding private key, and/or to encrypt messages or files so that they can be decrypted only with the holder's corresponding private key.
Distinguished Name	A distinguished name is contained in the Subject name field on the certificate and is the unique identifier of the subject. The distinguished name should follow the X.500 standard, reflect the authentic identity of the subject, is of practical meaning, and in conformity with laws.
RFC5280	RFC5280 is a configuration file for X.509 public key infrastructure certificates and certificate revocation lists.
RFC6960	RFC 6960: X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP.
RFC2459	RFC2459:Internet X.509 Public Key Infrastructure Certificate and CRL Profile
x.509 protocol	X. 509 Internet Public Key Infrastructure Online Certificate Status Protocol, X.509 is the format standard for public key certificates in cryptography.
x.500 protocol	The naming convention for digital certificates generally adopts the X.500 format.

Appendix B Certificate Format

Format of Personal Advanced Document Signing Certificate	
Field	Value
Version	V3
Serial Number	Contains 20 non-serial digits
Algorithm	SHA256RSA
Issuer	CN = CFCA Identity OCA O = China Financial Certification Authority C = CN
Valid from	Certificate Valid from
Valid to	Certificate Expiry date
Subject	CN = zhang san
	OU = business department
	O = China E-banking network
	L = Beijing
	S = Beijing
	C = CN
	SERIALNUMBER = 110000006499259
Public Key	RSA (2048)
Authority Information Access	[1]Authority Info Access Access Method=on-line certificate protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://ocsp.cfca.com.cn/ocsp [2]Authority Info Access Access Method=Certificate Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://gtc.cfca.com.cn/identityoca/identityoca.cer
Authority Key Identifier	
Basic Constraints	Subject Type=End Entity Path Length Constraint=None
Certificate Policies	[1]Certificate Policy: Policy Identifier=2.16.156.112554.5.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cfca.com.cn/us/us-17.htm
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://crl.cfca.com.cn/IdentityOCA/RSA/crl1.crl
Key Usage	Digital Signature, Non-Repudiation
Subject Alternative names	Other names: Main name=Legal Name
Subject Key Identifier	



中国金融认证中心

China Financial Certification Authority

Enhanced Key Usage	Email Protection Document Signing Adobe Document Signing (1.2.840.113583.1.1.5)
--------------------	--

Format of organization Advanced Document Signing Certificate	
Field	Value
Version	V3
Serial Number	Contains 20 non-serial digits
Algorithm	SHA256RSA
Issuer	CN = CFCA Identity OCA O = China Financial Certification Authority C = CN
Valid from	Certificate Valid from
Valid to	Certificate Expiry date
Subject	CN = Legal Name
	OU = E-banking network
	O = China E-banking network
	L = Beijing
	S = Beijing
	C = CN
	SERIALNUMBER = 110000006499259
Public Key	RSA (2048)
Authority Information Access	[1]Authority Info Access Access Method=on-line certificate protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://ocsp.cfca.com.cn/ocsp [2]Authority Info Access Access Method=Certificate Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://gts.cfca.com.cn/identityoca/identityoca.cer
Authority Key Identifier	
Basic Constraints	Subject Type=End Entity Path Length Constraint=None
Certificate Policies	[1]Certificate Policy: Policy Identifier=2.16.156.112554.5.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cfca.com.cn/us/us-17.htm
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://crl.cfca.com.cn/IdentityOCA/RSA/crl1.crl
Key Usage	Digital Signature, Non-Repudiation
Subject Alternative names	Other names: Main name=Legal Name
Subject Key Identifier	



中国金融认证中心

China Financial Certification Authority

Enhanced Key Usage	Email Protection Document Signing Adobe Document Signing (1.2.840.113583.1.1.5)
--------------------	--

Format of Personal Document Signing Certificate	
Field	Value
Version	V3
Serial Number	Contains 20 non-serial digits
Algorithm	SHA256RSA
Issuer	CN = CFCA Identity OCA O = China Financial Certification Authority C = CN
Valid from	Certificate Valid from
Valid to	Certificate Expiry date
Subject	CN = zhang san
	OU = business department
	O = China E-banking network
	L = Beijing
	S = Beijing
	C = CN
	SERIALNUMBER = 110000006499259
Public Key	RSA (2048)
Authority Information Access	[1]Authority Info Access Access Method=on-line certificate protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://ocsp.cfca.com.cn/ocsp [2]Authority Info Access Access Method=Certificate Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://gts.cfca.com.cn/identityoca/identityoca.cer
Authority Key Identifier	
Basic Constraints	Subject Type=End Entity Path Length Constraint=None
Certificate Policies	[1]Certificate Policy: Policy Identifier=2.16.156.112554.5.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cfca.com.cn/us/us-17.htm
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://crl.cfca.com.cn/IdentityOCA/RSA/crl1.crl
Key Usage	Digital Signature, Non-Repudiation
Subject Alternative names	Other names: Main name=Legal Name
Subject Key Identifier	



中国金融认证中心

China Financial Certification Authority

Enhanced Key Usage	Email Protection Document Signing
--------------------	--------------------------------------

Format of organization Document Signing Certificate	
Field	Value
Version	V3
Serial Number	Contains 20 non-serial digits
Algorithm	SHA256RSA
Issuer	CN = CFCA Identity OCA O = China Financial Certification Authority C = CN
Valid from	Certificate Valid from
Valid to	Certificate Expiry date
Subject	CN = Legal Name
	OU = E-banking network
	O = China E-banking network
	L = Beijing
	S = Beijing
	C = CN
	SERIALNUMBER = 110000006499259
Public Key	RSA (2048)
Authority Information Access	[1]Authority Info Access Access Method=on-line certificate protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://ocsp.cfca.com.cn/ocsp [2]Authority Info Access Access Method=Certificate Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL=http://gtc.cfca.com.cn/identityoca/identityoca.cer
Authority Key Identifier	
Basic Constraints	Subject Type=End Entity Path Length Constraint=None
Certificate Policies	[1]Certificate Policy: Policy Identifier=2.16.156.112554.5.1 [1,1]Policy Qualifier Info: Policy Qualifier Id=CPS Qualifier: http://www.cfca.com.cn/us/us-17.htm
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL=http://crl.cfca.com.cn/IdentityOCA/RSA/crl1.crl
Key Usage	Digital Signature, Non-Repudiation
Subject Alternative names	Other names: Main name=Legal Name
Subject Key Identifier	

Enhanced Key Usage	Email Protection Document Signing
--------------------	--------------------------------------

Appendix C Liable Data Source

Data Source Accuracy (comply with Baseline Requirement)

Prior to using any data source as a Reliable Data Source, the CFCA will evaluate the source for its reliability, accuracy, and resistance to alteration or falsification. The CFCA will consider the following during its evaluation:

1. The age of the information provided;
2. The frequency of updates to the information source;
3. The data provider and purpose of the data collection;
4. The public accessibility of the data availability;
5. The relative difficulty in falsifying or altering the data.

Appendix D CAs contained in CFCA Identity CA CPS

V1.6

NO	Root CA	Root CA Algorithm	Intermediate CA	Intermediate CA Algorithm
1	CFCA Identity CA	RSA4096/SHA256	CFCA Identity OCA	RSA2048/SHA256